

CATALOGUE

OF

PLANTS,

WHICH ARE SOLD BY

CONRAD LODDIGES & SONS,

Nursery & Seedsmen,

AT

HACKNEY,

NEAR

LONDON.

THE ELEVENTH EDITION.

LONDON:

PRINTED BY W. WILSON, 4, GREVILLE-STREET, HATTON-GARDEN.

1818.

* * * *The numbers placed after the names refer to
the figures in the Botanical Cabinet.*

STOVE PLANTS.

| | | |
|---------------|--------------|---------------|
| ABROMA | AFZELIA | ANDROMEDA |
| angusta | splendens | jamaicensis |
| ABRUS | AGAVE | ANNONA |
| precatorius | lurida | ferruginea |
| ACACIA | virginica | muricata |
| ceratonia | AGLIA | palustris |
| copallina | odorata | reticulata |
| cornigera | ALEURITES | squamosa |
| farnesiana | triloba | tripetala |
| flexuosa | ALLAMANDA | ANTIDESMA |
| houstoni | cathartica | paniculata |
| latisiliqua | ALPINIA | APONOGETON |
| lebbeck | calcarata | distachyon |
| mollis | malaccensis | ARALIA |
| nilotica | mutica | capitata |
| odoratissima | nutans | ARDISIA |
| peregrina | ALSTROEMERIA | acuminata |
| purpurea | ligtu—17 | elegans |
| sericea | salsilla | excelsa |
| stipulacea | AMARYLLIS | littorale |
| suberosa | aurea | solanacea |
| ACHANIA | crocata | ARECA |
| mollis | curvifolia | catechu |
| ACHRAS | equestris | oleracea |
| argentea | <i>pleno</i> | ARISTOLOCHIA |
| sapota | gigantea | triloba |
| ACHYRANTHES | grandis | ARTOCARPUS |
| porrigens | radiata | incisa |
| ACROSTICHUM | reginae | integrifolia |
| alcicorne | reticulata | ARUM |
| calomelanos | spectabilis | colocasia |
| ADANSONIA | tubispatha | esculentum |
| digitata | yuccoides | pedatum |
| ADENANTHERA | zeylanica | sagittæfolium |
| pavonina | AMERIMNON | viviparum |
| ÆGIPHILA | latifolium | ASCLEPIAS |
| martinicensis | violaceum | cristata |
| ÆRIDES | AMOMUM | curassavica |
| paniculatum | afzelii | ASPIDIUM |
| AFZELIA | dealbatum | exaltatum |
| discolor | sylvestris | patens |
| grandis | ANACARDIUM | ASPLENIUM |
| | occidentale | ebeneum—5 |

- ASPLENIUM**
 præmorsum
 rhizophyllum
ATRAGENE
 zeylanica
AUBLETIA
 tibourbu
AVERRHOA
 bilimbi
BACTRIS
 globosa
 minor
BÆOBOTRIS
 indica
BAMBUSA
 arundinacea
 glauca
BANISTERIA
 chrysophylla
 ciliata
 fulgens
 laurifolia
 purpurea
BAPHIA
 nitida
BARLERIA
 cristata
 purpurea
BAUHINIA
 aculeata
 acuminata
 anatomica
 divaricata
 foliosa
 parvifolia
 porrecta
BEGONIA
 acuminata
 dichotoma
 discolor
 nitida
 spatulata—107
 suaveolens—69
BERRIA
 anemonilla
BESLERIA
 melittifolia
 serrulata
BIGNONIA
 æquinoctialis
 alliacea
 filicifolia
- BIGNONIA**
 indica
 laurifolia
 leucoxylon
 lucida
 multifida
 ophthalmia
 paniculata
 procera
 pubescens
 venusta
 unguis
BIXA
 orellana
BLAKEA
 trinervis
BLECHNUM
 occidentale
BLETIA
 hyacinthina
 tankervilliae—20
 verccunda
BLIGHIA
 sapida
BOCCONIA
 frutescens—83
BOERHAAVIA
 scandens
BOMBAX
 ceiba
BONAPARTIA
 juncea
BRASSAVOLA
 cucullata
BROMELIA
 ananas
fol. variegatis
 bracteata
 pinguin
BROSSÆA
 coccinea
BROWNEA
 coccinea
BRUCEA
 ferruginea—129
BRUNFELSIA
 americana
 montana
 undulata
BRYONIA
 deltoides
- BRYOPHYLLUM**
 calycinum
BUBROMA
 guazuma
BUMELIA
 nigra
BURGLARIA
 angustifolia
 lucida
BURSERA
 gummifera
BUTEA
 frondosa
CACALIA
 bicolor
CACTUS
 brasiliensis
 cochiniilliferus
 curassavicus
 cylindricus
 dillenii
 elatior
 fœus indica
 flagelliformis
 grandiflorus
 griseus
 mammillaris
 melocactus
 monstrosus
 nobilis
 opuntia
 pendulus
 pereskia
 peruvianus
 phyllanthus
 proliferus
 royeri
 speciosus
 spinosissimus
 stellatus—79
 tetragonus
 triacanthus
 triangularis
CÆSALPINIA
 bijuga
 paniculata
 sappan
 tortuosa
CALADIUM
 bicolor
 seguinum

| | | |
|---|--|--|
| CALAMUS præmorsa zalacca | CERBERA abouai laurifolia manghas thieveta | COCCOLOBA angustifolia barbadensis excoriata obtusifolia pubescens punctata uvifera |
| CALLA occulta—12 | CESTRUM angustifolium fœtidissimum laurifolium | COCOS aculeata nucifera |
| CALLICARPA latifolia | CHAMÆROPS humilis hystrix serrulata | CODARIUM nitidum |
| CALOPHYLLUM calaba | CHIOCOCCA racemosa | COFFEA arabica guineensis |
| CALOPOGON pulchellus | CHRYSOPHYLLUM argenteum cainito fuscum glabrum macrophyllum | COLUMNÆA hirsuta scandens |
| CALOTROPIS gigantea | CICCA disticha | COMMELINA tuberosa |
| CAMERARIA dubia | CINCHONA caribæa | COMOCLADIA integrifolia |
| CANELLA laurifolia | CINERARIA petasitis | CONVOLVULUS cairicus coccineus dissectus gangeticus jalapa luteus rotundifolius speciosus versicolor |
| CAPPARIS angustifolia cynophallophora frondosa linearis sinuata spinosa trifoliata | CISSAMPELOS smilacina | COPAIFERA diphylla officinalis |
| CARICA papaya | CISSUS acida | CORDIA colococca monoica scabra sebestena spinescens |
| CARISSA carandas spinarum | CITHAREXYLUM cinereum quadrangulum | CORNUTIA pyramidata |
| CAROLINEA insignis minor | CITRUS trifoliata | CORYPHA elata minor palmetto umbraculifera |
| CARYOTA mitis urens | CLERODENDRUM fortunatum fragrans inermis paniculatum squamatum tomentosum | COSTUS arabicus |
| CASSIA alata atomaria bicaapsularis biflora corymbosa fistula floribunda stipulacea viminea | CLITORIA brasiliana fruticosa ternatea | |
| CATESBÆA latifolia spinosa | CLUSIA flava rosea | |
| CECROPIA peltata | | |

COSTUS
 lanatus
COTYLEDON
 crenata
CRATEVA
 fragrans
 glauca
 gynandra
CRESCENTIA
 cucurbitina
CRINUM
 amabile
 americanum
 asiaticum
 cruentum
 erubescens—31
 latifolium
 mauritianum
CROSSANDRA
 undulata
CROTON
 angustifolium
 digitatum
 drupaceum
 pictum
 polygamum
 sebiferum
 variegatum
CURCULIGO
 orchioides
CURCUMA
 elata
 zanthorhiza
CYCAS
 circinalis
 glauca
 revoluta
CYMBIDIUM
 aloifolium
 ensifolium
 sinense—37
CYNANCHUM
 viridiflorum
CYPERUS
 alternifolius
CYRILLA
 pulchella
CYRTANTHUS
 obliquus
CYRTOPODIUM
 andersonii—121

DATURA
 arborea
DIANELLA
 ensifolia
DILLENIA
 speciosa
DIMOCARPUS
 litchi
 longam
DIONÆA
 muscipula—48
DIOSPYRUS
 cordifolia
 kaki
DOODIA
 aspera—39
DORSTENIA
 contrajerva
DORYANTHUS
 excelsa
DRACENA
 arborea
 cernua
 draco
 ferrea
 fragrans
 purpurea
 spicata
 umbraculifera
DRACONTIUM
 cordifolium
 hastatum
 nymphæifolium
 pertusum
DURANTA
 ellisii
 inermis
 parvifolia
 plumierii
DUROIA
 eriopila
ECHITES
 elastica
 grandiflora
 madagascarensis
 suberecta
 torulosa
ELÆODENDRUM
 orientale
ELAIS
 montana

ELATE
 sylvestris
ELEAGNUS
 latifolia
ELEPHANTOPUS
 scaber
EMBRYOPTERIS
 adiantifolia
 glutinifera
EPIDENDRUM
 ciliare—9
 cochleatum—22
 cuspidatum—10
 elongatum
 fuscatum
 nutans
 umbellatum—26
ERYTHALIS
 fruticosa
ERYTHRINA
 abyssinica
 corallodendron
 flammula
 herbacea
 incana
 ovalifolia
EUGENIA
 amboinensis
 auriculata
 baruensis
 bracteata
 caryophyllata
 fragrans
 glauca
 jambos
 malaccensis
 uniflora
 zeylanica
EUPATORIUM
 malabaricum
EUPHORBIA
 caput medusæ
 cotinifolia
 mauritanica
 meloformis
 punicea
 tithymaloides
 toxicaria
FAGARA
 pterota
FERREOLA
 buxifolia

| | | |
|------------------|--------------------|---------------------|
| FICUS | GLORIOSA | HEDYSARUM |
| acuminata | superba | pictum |
| aquatica | GLOXINIA | triquetrum |
| asperrima | maculata | strobiliferum |
| bengalensis | speciosa—28 | HELICONIA |
| benjamina | GNETUM | bilai |
| cordata | gnemon | psittacorum |
| dumosa | GOMPHIA | HELICTERIS |
| elastica | lævigata | isora—119 |
| elliptica | nitida | HERETIERA |
| lanceolata | GONDELIA | littoralis |
| longifolia | spinosa | HERNANDIA |
| macrophylla | GONOLOBUS | sonora |
| nervosa | diadematus | HEYNIA |
| nitida | GOSSYPIUM | trijuga |
| nymphæifolia | guineensis | HIBISCUS |
| pumila | GOUANIA | acerifolius |
| religiosa | domingensis | elatus |
| repens | GREWIA | heterophyllus |
| retusa | asiatica | macrophyllus |
| viscifolia | lutea | mutabilis |
| LACOURTIA | pilosa | patersonius |
| ramontchi | ulmifolia | pedunculatus |
| LEMINGIA | GRISLEA | populneus |
| congesta | tomentosa | rosa sinensis |
| LERTNERA | GUAIAACUM | <i>fl. pleno</i> |
| racemosa | officinale | <i>coccinea pl.</i> |
| GARCINIA | GUAREA | <i>pallida pl.</i> |
| mangostana | trichilioides | tiliaceus |
| GARDENIA | GUETTARDA | HILLIA |
| amœna | lucida | longiflora |
| angustifolia | GUILANDINA | HIPPOMANE |
| campanulata | bonducella | mancinella |
| latifolia | GUSTAVIA | HOMALEUM |
| longiflora | augusta | racemosum |
| lucida | GYROCARPUS | HURA |
| mexicana | jacquinii | crepitans |
| randia | HÆMANTHIUS | HYMENÆA |
| rothmannii | puniceus | courbaril |
| theobromæfolia | HÆMATOXYLUM | verrucosa |
| thunbergia | campechianum | JACQUINIA |
| uliginosa | HAMELLIA | armillaris |
| GEODORUM | axillaris | mexicana |
| citrinum | patens | JAMBOLIFERA |
| GEOFFROYA | ventricosa | pedunculata |
| inermis | HEDYCHIUM | JASMINUM |
| GESNERIA | angustifolium | auriculatum |
| tomentosa | coronarum | flexilis |
| GLOBBA | HEDYSARUM | glaucum |
| marantina—100 | gyrans | hirsutum |
| | gyroides | sambac |

- JASMINUM**
 sambac
 pleno
 toscanum
 trinervium
 undulatum
JATROPHA
 australis
 curcas
 gossipifolia—117
 multifida
 panduræfolia
INGA
 purpurea
 unguiscati
INOCARPUS
 edulis
IPOMÆA
 hederacea
 insignis
 repanda
 sanguinea
 tuberosa
 versicolor
JONESIA
 pinnata
JUSSIEUA
 grandiflora
JUSTICIA
 bicolor
 coccinea
 ecbolium
 flava
 lucida
 nervosa
 nigricans
 picta
 pulchella
 radula
 salicifolia
 sanguinea
 scandens
 spinosa
 superba
IXORA
 alba
 arborea
 coccinea
 grandiflora
 paretta
 rubra
- KÆMPFERIA**
 rotunda
LAGERSTRÆMIA
 indica
 alba
 reginæ
LANTANA
 aculeata
 camara
 mista—68
 nivea
LATANIA
 borboniensis
LAURUS
 cassia
 cinnamomum
 culilaban
 glauca
 gracilis
 mauritiana
 persea
LAWSONIA
 inermis
LECYTHIS
 bracteata
LEEA
 hirta
LICUALA
 spinosa
LIMONIA
 pentaphylla
 scandens
 trifoliata—18
LOBELIA
 longiflora
LORMERIA
 cuneifolia
LYCOPodium
 nudum
LYGODIUM
 flexuosum
 scandens
MACROCNE MON
 striatum
MAGNOLIA
 pumila
MALPIGHIA
 angustifolia
 canescens
 coccigera
 crassifolia
- MALPIGHIA**
 ferruginea
 glabra
 glandulifera
 hirta
 nitida
 puniceifolia
 volubilis
 urens
MAMMEA
 americana
MANGIFERA
 indica
MANTISIA
 saltatoria
MARANTA
 tonchat
 zebrina
MARICA
 northiana
 paludosa
MELALEUCA
 leucadendron
MELASTOMA
 albescens
 corymbosa
 levigata
 malabarica
 tetrandra
MELHANIA
 angustifolia
 erythroxyton
 ferruginea
MELICOCCA
 bijuga
MELODINUS
 scandens
MIMOSA
 sensitiva
MIMUSOPS
 elengi
MODECCA
 lobata
MONETIA
 barlerioides
MONNIERIA
 amplexifolia
MORINDA
 rojoc
MURRAYA
 exotica

- MUSA**
coccinea
paradisica
sapientum
- MYGINDA**
rhacoma
- MYRISTICA**
fatua
- MYRTUS**
acris
disticha
dumosus
fragrans
pimenta
longifolia
tomentosa
- NEOTTIA**
elata
picta
speciosa
- NERIUM**
coronatum
tinctorium
- NISSOLIA**
spinosa
- NYCTANTHES**
arborescens
- NYMPHÆA**
caerulea
lotus
pubescens
pygmæa
stellata
versicolor
- OLEA**
asiatica
marginata
- OMPHALEA**
triandra
- ONCIDIUM**
altissimum
- ORNITHIDIUM**
coccineum
- PÆDERIA**
fœtida
- PANAX**
aculeatum
fruticosum
- PANCRATIUM**
amboinense
amœnum
- PANCRATIUM**
caribæum
carolinianum
littorale
mexicanum
nutans
rotatum—19
speciosum
- PANDANUS**
latifolius
odoratissimus
reflexus
- PASSIFLORA**
alata
ciliata
fœtida
glaucæ
hirsuta
holosericea
incarnata
laurifolia
lunata
lutea
maliformis
minima
multiflora
murucuja
palmata—97
pedunculata
peltata
picta
princeps—84
punctata—101
quadrangularis
rubra
serratifolia
suberosa
trifurcata
vitiginea
- PAVETTA**
indica
villosa
- PAULLINEA**
caribæa
- PELIOSANTHUS**
teta
- PERGULARIA**
minor
odoratissima
- PETIVERIA**
alliacea
- PETRÆA**
volubilis
- PHCENIX**
dactylifera
farinifera
pygmæa
- PHRYNIUM**
spicatum
- PHYLLANTHUS**
emblica
grandifolia
reticulata—116
scandens
turbinatus
- PINUS**
sumatrana
- PIPER**
blandum
clusiæfolium
coriacenm—128
magnoliæfolium
nigrum
polystachion
reticulatum
triphylom
- PISCIDIA**
erythrina
- PISONIA**
aculeata
nigricans
- PITCAIRNIA**
angustifolia
bracteata
bromeliæfolia
graminifolia
integrifolia
latifolia
- PLUMBAGO**
rosea
zeylanica
- PLUMIERIA**
alba
aurantia
obtusæ
parvifolia
rubra
- POINCIANA**
puleherrima
- POLYPODIUM**
adscendens
aureum

| | | |
|----------------|----------------|----------------|
| POLYPODIUM | RUIZIA | STERCULIA |
| decurrens | aurea | balanghas |
| effusum | variabilis | foetida |
| phyllitides | RUSSELLIA | guineensis |
| PORTLANDIA | multiflora | platanifolia |
| coccinea | SACCHARUM | STRELITZIA |
| grandiflora | officinarium | angustifolia |
| hexandria | SAMYDA | angusta |
| POTHOS | rosea | juncea |
| acaulis | serrulata | reginae |
| cannæfolia | SAGITTARIA | <i>humilis</i> |
| cordata | lancifolia | STRYCHNOS |
| integrifolia | sinensis | nux vomica |
| PSIDIUM | SALVIA | SWIETENIA |
| chinensis | violacea | mahagoni |
| fragrans | SANSEVIERA | TABERNÆMON. |
| montanum | guineensis | TANA |
| pomiferum | SAPINDUS | citrifolia |
| pyriferum | laurifolius | laurifolia |
| PSYCHOTRIA | saponaria | TACCA |
| citrifolia | SAPIUM | integrifolia |
| PTERIS | aucuparium | TALINUM |
| grandifolia | SCHINUS | patens |
| serrulata | molle | TAMARINDUS |
| PTEROSPERMUM | SCHOTIA | indica |
| acerifolium | speciosa | TECTONA |
| suberifolium | tamarindifolia | grandis |
| QUASSIA | SECURIDACOA | TERMINALIA |
| amara | volubilis | amboinense |
| QUISQUALIS | SECURINEGA | angustifolia |
| indica | nitida | baki |
| RAUWOLFIA | SOLANDRA | catappa |
| glabra | grandiflora | disticha |
| RHAMNUS | <i>minor</i> | THEOBROMA |
| lotus | SOLANUM | cacao |
| microphyllus | amazonium | THUNBERGIA |
| RHAPIS | bahamense | fragrans |
| flabelliformis | coccineum | TILLANDSIA |
| RHIZOPHORA | giganteum | amœna—76 |
| mangle | seafortthianum | flexuosa |
| RHUS | spinosissimum | TOURNEFORTIA |
| chinensis | SOPHORA | cymosa |
| javanicum | tomentosa | volubilis |
| succedaneum | SPATHIELIA | TRADESCANTIA |
| RICINUS | simplex | cristata |
| lividus | SPONDIAS | TRIOPTERIS |
| RONDELETIA | niombin | sericea |
| americana | myrobalanus | TUPISTRA |
| hirta | STACHYTARPHETA | squalida |
| RUELLIA | mutabilis | VANILLA |
| formosa | | planifolia |

VARRONIA

mollis

VINCA

alba

rosea

VITEX

arborea

trifolia

VOLKAMERIA

aculeata

URANIA

speciosa

URTICA

nivea

UVARIA

odoratissima

WEBERA

corymbosa

WOODWARDIA

radicans

XYLOPHYLLA

angustifolia

falcata

latifolia

montana

ZAMIA

cycadis

debilis

dentata

ZAMIA

furfuracea

integrifolia

latifolia

pumila

pungens

pygmaea—113

spiralis

ZINGIBER

officinalis

ZIZIPHUS

jujube

ZOISIA

albitlora

GREENHOUSE PLANTS.

ACACIA

alata

angustifolia

armata—49

biflora

dealbata

decipiens

decurrens

discolor

falcata

floribunda

juniperina

linifolia

longifolia

lophantha

melanoxydon

myrtifolia

pubescens

pulchella

rutifolia

scoparia

stricta—99

taxifolia

verticillata

undulata

ADIANTUM

capillus veneris

pedatum

ÆSTELIA

fragrans

præmorsa

AGAPANTHUS

media

minor—42

umbellatus

fol. varieg.

AGAVE

americana

virginica

AGERATUM

coelestinum

ALBUCA

minor

vittata

ALOE

arachnoides

pumila

brevifolia

cymbiformis

foliolosa

ALOE

glauca

humilis

latifolia

lingua

maculata

margaritifera

mitriformis

nigricans

pentagona

plicatilis

retusa

rigida

saponaria

variegata

verrucosa

viscosa

vulgaris

ALONSOA

incisifolia

ALSTRÆMERIA

pelegrina

AMARYLLIS

atamasco

belladonna

formosissima

AMARYLLIS

longifolia
 revoluta
 sarniensis
 vittata
 undulata

ANACAMPSEROS

filamentosa

ANAGALLIS

fruticosa
 monelli

ANAGYRIS

fœtida

ANDERSONIA

sprengelioides

ANDROMEDA

ferruginea

ANIGOZANTHUS

flavida

ANTHERICUM

frutescens
 revolutum

ANTHOLYZA

æthiopica

ANTHYLLIS

barbajovis
 echinata
 crinacea
 hermanniæ

AOTUS

villosa

ARAUCARIA

excelsa

ARBUTUS

canariensis

ARCTOTIS

acaulis
 argentea
 dentata
 maculata
 superba

ARDISIA

crenulata—2

ARDUINEA

spinosa

ARISTEA

capitata
 cyanea
 spiralis

ARISTOLOCHIA

glauca

ARISTOLOCHIA

semipervirens

ARISTOTELIA

macqui

ARMERIA

fruticosa

ASPALATHUS

albens

carnosa

ciliaris

ulicifolia

ASPARAGUS

albus

capensis

declinatus

retrofractus

ASTER

argophyllus

australis

dentatus

liratus

reflexus

ASTROLOMA

humifusa

juniperina

ATHANASIA

maritima

ATRAGENE

capensis

ATRAPHAXIS

undulata

AZALEA

indica

BABIANA

fragrans

plicata

tubiflora

BACCHARIS

neriifolia

BÆCKIA

virgata

BANKSIA

collina

dentata

ericæfolia

integrifolia

latifolia

littorale

marcescens

marginata—61

paludosa

BANKSIA

plumosa

serrata

spinulosa

verticillata

BAUERA

humilis

rubrioides

BEAUFORTIA

decussata

BEJARIA

paniculata

BERCKHEYA

grandiflora

BIGNONIA

capreolata

grandiflora

BILLARDIERA

longiflora

mutabilis

scandens

BORBONIA

acuminata

crenata

lævigata

lanceolata—81

BORONIA

pinnata

BOSEA

vermavora

BOSSLEA

heterophylla

linophylla

prostrata

scolopendrium

BOTRYCEROS

laurinus

BOUVARDIA

triphylla

versicolor

BRACHYSEMA

latifolia

BRUNIA

abrotanoides

elegans

ericoides

fragaroides

imbricata

lanuginosa

nodiflora

palcacea

- BRUNIA**
 speciosa
 superba
BRUNSVIGIA
 ciliaris
 falcata
 multiflora
BUBON
 galbanum
BUDDLEA
 salviafolia
BUPHTHALMUM
 sericeum
BURSARIA
 spinosa
BYSTROPOGON
 punctatum
CACALIA
 antephorbium
 canescens
 ficoides
CALCEOLARIA
 fothergillii
CALENDULA
 graminifolia—57
 tragus
 viscosa
CALLA
 æthiopica
CALLICARPA
 americana
 chinensis
CALLICOMA
 serratifolia
CALLISTACHIS
 lanceolata
 ovata
CALOTHAMNUS
 quadrifida
 villosa—92
CAMELLIA
 japonica
flore pleno alba
anemonæflora
atrorubens
carnea
expansa
incarnata
myrtifolia
pæonæflora
pomponia
- CAMELLIA**
rubra
variegata
 sasangua
CAMPANULA
 rupestris
CAMPHOROSMA
 monspeliaca
CANARINA
 campanula
CAPPARIS
 breynia
CAPRARIA
 lanceolata
 undulata
CASSIA
 capensis
CASSINE
 capensis
 maurocenia
CASUARINA
 equisetifolia
 stricta
 torulosa
CEANOTHIUS
 africanus
 cœruleus—110
CELASTRUS
 buxifolius
 lucidus
 pyracantha
CENTAUREA
 africana
CERATONIA
 siliqua
CHEIRANTHUS
 mutabilis
 tristis
CHIRONIA
 baccifera
 decussata
 frutescens
 jasminoides—27
 linoides
CHORIZEMA
 nana
CINERARIA
 amelloides
 aurita
 cruenta
- CISSAMPELOS**
 capensis
CISSUS
 antarctica
 quinata
CISTUS
 albidus
 algarvensis
 creticus
 crispus
 formosus
 fumana
 halimifolius
 lævipes
 oleæfolius
 syriacus
 umbellatus
CITRUS
 acris
 aurantium
fol. varieg.
cornutum
crassifolium
crispum
hermaphroditum
melitensis
fr. oblongis
myrtifolium
pyriformis
salicifolium
sinensis
tangerana
 decumanus
 limon
fol. argent.
 medica
fol. var.
 aromatica
 nobilis
CLEMATIS
 aristata
 brachiata
CLETHRA
 arborea
CLIFFORTIA
 arachnoides
 ilicifolia
 obcordata
 ruscifolia
 trifoliata

| | | |
|--------------|------------------|--------------|
| CNEORUM | CULLUMIA | DILLWYNIA |
| tricoccum | ciliaris | glaberrima |
| COBÆA | CUPRESSUS | plumosa |
| scandens | australis | DIOSMA |
| COLUTEA | capensis | acuminata |
| frutescens | chinensis | ambigua |
| COMMERSONIA | lusitanica | capitata |
| aculeata | CURTISIA | cerefolia |
| CONVOLVULUS | faginea | ciliata |
| althæoides | CYANELLA | cordifolia |
| bryonifolius | capensis | corymbosa |
| canariensis | CYCLAMEN | crassifolia |
| cneorum | colum—108 | crenata |
| farinosus | hederæfolium | cupressina |
| pannifolius | persicum | ericoides |
| CORCHORUS | CYNANCHUM | foetidissima |
| japonicus | pilosum | fragrans |
| CORREA | CYRTANTHUS | hybrida |
| alba | angustifolius | hirsuta |
| speciosa—112 | CYTISUS | hispida |
| virens | divaricatus | imbricata |
| CORONILLA | hirsutus | <i>minor</i> |
| glaucæ | proliferus | lanceolata |
| juncea | DAIS | latifolia |
| viminea | cotinifolia | linifolia |
| COTYLEDON | DAPHNE | orbicularis |
| orbicularis | gnidium | ovata |
| CRASSULA | odora | pulchella |
| coccinea | <i>fol. var.</i> | reclinata |
| columnaris | <i>fl. rubra</i> | reflexa |
| cotyledon | oleoides | rubra |
| dichotoma | tarton-raira | rugosa |
| imbricata | DAVALLIA | scoparia |
| lactea | canariensis | serratifolia |
| obliqua | DAVIESIA | speciosa |
| odoratissima | glaucæ—43 | tenella |
| orbicularis | latifolia | tenuissima |
| pellucida | ulicina—44 | teretifolia |
| perfoliata | DECUMARIA | tetragona |
| portulacaria | prostrata | tomentosa |
| CRATÆGUS | sarmentosa | villosa |
| arbutifolia | DIANELLA | virgata |
| glabra | cœrulea | uniflora |
| indica | DIANTHUS | DISANDRA |
| CROTALARIA | fruticosus | prostrata |
| cordata | japonicus | DODONÆA |
| floribunda | DIGITALIS | angustifolia |
| laburnifolia | canariensis | linearis |
| purpurea | sceptum | triquetra |
| CROWEA | DILLWYNIA | viscosa |
| saligna | ericæfolia | |

DOLICHOS

lignosus

DORYCNIUM

monspeliensis

DRIMIA

acuminata

lanceæfolia

DRYANDRA

floribunda

ECHIUM

ambiguum

fruticosum

lineatum

thyrsiflorum

EDWARDSIA

grandiflora

macrophylla

microphylla

minima

ELÆOCARPUS

cyaneus

ELICHRYSUM

argenteum

canescens

fasciculatum

rubrum

filiforme

herbaceum

proliferum—8

retortum

sesamoides

spatulatum

speciosissimum

spectabile—59

spirale

splendens

vestitum

MPETRUM

album

MPLEURUM

serrulatum

PACRIS

attenuata—38

grandiflora—21

obtusifolia

pulchella

purpurascens

rosea

RICA

absynthoides

ERICA

actea

acuminata

acuta

acutangularis

agregata

aitoniana

albens—95

amœna

ampullacea

andromedæflora

arborea

squarrosa

arbutiflora

arctata

archeriana

ardens—47

aristata—73

articularis

aurea

baccans

banksii

barbata

bergiana

bicolor

biflora

blæria—85

blanda—13

blandfordiana—1

bomplandia

15

bruniades

cafra

calycina

campanulata

capitata

carinata

cerinthoides

clatior

cernua

cistifolia—124

cliffordiana—34

coccinea

colorans

comosa

alba

complanata

concaua

concolor

concinna

conferta

ERICA

congesta

conspicua

constantia

corifolia

costata

coventrya

cruenta

cubica

minor

curviflora

cussonia

cylindrica

daphneflora

daphnoides

declinata

decora

deflexa

demissa

denticulata

depressa

discolor

divaricata

droseroides

dumosa

echiiflora

coccinea

elata

elegans

elongata

empetrifolia

empetrioides

epistomia

eriocephala

erosa

erubescens

ewerana

pilosa

expansa

exurgens

fascicularis

fastigiata

filamentosa

fimbriata

finitima

flaccida

flagelliformis

flava

flexuosa

floribunda

florida

ERICA

foliosa
 follicularis
 formosa
 fragrans
 fucata
 fulgida
 furfurosa
 gellida
 gemmiflora
 glabra
 glauca
 globosa
 glomerata
 glutinosa
 gracilis
 grandiflora
 humilis
 halicacaba
 hiebertiana
 hirtiflora
 hispidula
 humea
 hyacinthoides
 ignescens
 imbecilla
 imbricata
 incana
 incarnata
 inflata
 infundibuliformis
 intertexta
 insulsa
 irbyana
 jasminiflora
 juliana
 kalmiana
 lachnæfolia
 lactiflora
 lævis
 lambertiana
 lanuginosa
 lawsonii
 laxa
 lecana
 leucanthera
 linnaea—102
 linnaeoides
 livida
 longiflora

ERICA

longipedunculata—
 103
 lucida
 lutea—64
 luteo alba
 lutescens
 magnifica
 mammosa—125
 margaritacea
 marifolia
 massoni
 mediterranea
 melanthera
 melastoma
 mellifera
 metulaeflora
 micrantha
 mirabilis
 modesta
 mollissima
 monadelphæa
 monsoniana
 montana
 mucosa—35
 mucosoides
 multiflora
 mundula—114
 muscari
 mutabilis—46
 nigrita—34
 nitans
 nivea
 nobilis
 nolæflora
 obbata
 obcordata
 obliqua—14
 octogona
 ocularis
 odorata
 orbiculata
 ovata
 palustris—4
 paniculata
 parmentieria
 pattersonia
 major
 coccinea
 pedunculata

ERICA

pellucida
 pendula
 perlata
 persoluta
 rubra
 perspicua
 petiolata
 peziza
 physodes
 picta
 pilosa
 pinaster
 purpurea
 pinifolia
 plukenetii
 alba
 nana
 plumosa
 pomifera
 præcox
 pragnans
 præstans
 primuloides
 propendens—63
 pubescens
 pulchella
 pulverulenta
 pumila
 pura—72
 pyramidalis
 ramentacea
 recurva
 reflexa
 regerminans
 resinosa
 retorta
 rigida
 rosa solis
 rosea
 roscæ alba
 rubella
 rubens
 rugata
 rupestris
 salisburya
 sanguiflua
 sanguinea—86
 sanguinolenta
 savillea—96

ERICA

scabra
 scabriuscula
 schollii
 scariosa
 scoparia
 sebana—23
 lutea
 nana
 spicata
 serratifolia
 serrulata
 sessiliflora
 setacea
 sexfaria
 shannonia
 simpliciflora
 solandra
 sordida
 sparmannia
 speciosa
 spectabilis
 splendens
 spuria
 squamosa
 stellata
 strigosa
 struthiolæflora
 suaveolens—24
 sulphurea
 taxifolia
 tenella
 tenuiflora
 tetragona
 thalictriflora
 thunbergia
 thymifolia
 togata
 torta
 transparens
 triceps
 tricolor
 triflora
 triumphans
 tubiflora
 ventricosa
 alba
 venusta
 versicolor
 verticillata
 vestita *alba*

ERICA

coccinea—55
vestita
incarnata
purpurea
rosea
virgata
viridescens
viridis
viscaria
umbellata
urceolaris
walkerii

ERIOCEPHALUS

africanus

ERIOSPERMUM

latifolium

EUCALYPTUS

glauca
globosa
hypericifolia
marginata
obliqua
perfoliata
piperita
pulverulenta
resinifera
reticulata
robusta
verrucosa
viminalis
undulata

EUCHYLUS

obcordatus—60

EUCOMIS

punctata
striata

EUGENIA

elliptica

EUPHORBIA

amygdal. fol. var.
genistoides
mellifera

EUSTREPHUS

angustifolius
latifolius

EUTAXIA

myrtifolia

FABRICIA

lævigata
myrtifolia

FALKIA

repens

FERRARIA

undulata

FICUS

australis

FONTANESIA

phillyreoides

FUCHSIA

coccinea

lycioides

GARDENIA

florida

pleno

radicans

GASTROLOBIUM

bilobum—70

GAZANIA

pavonia

subulata

rigens

GELSEMIUM

sempervirens

GENISTA

hispanica

linifolia

sericea

GENTIANA

viscosa

GERANIUM

anemonefolium

GETHYLLIS

spicata

GLADIOLUS

blandus

cardinalis

carneus

cunonius

cuspidatus

hirsutus

roseus

papilionaceus

trimaculatus

GLOBULARIA

longifolia

GLYCINE

bituminosa

GNAPHALIUM

australe

congestum

crassifolium

GNAPHALIUM

cylindricum
cymosum
ericoides
grandiflorum
maritimum
stachas

GNIDIA

imberbis
oppositifolia—16
pinifolia—7
radiata—29
simplex

GOMPHOCARPUS

arborescens

GOODENIA

ovata

GOODIA

lotifolia
pubescens

GORDONIA

lasianthus

GREVILLEA

buxifolia
linearis—50
alba
sericea

GREWIA

occidentalis

GUNNERA

perpensa

HÆMANTHUS

albiflos
coccineus

HAKEA

acicularis
amplexicaule
carduifolia
ceratophylla
dactyloides
florida
gibbosa
ilicifolia
latifolia
microcarpa
nitida
oleifolia
pugioniforme
rubricaule
saligna
suaveolens

HALLERIA

lucida

HALLIA

imbricata

HALORAGIS

cercodia

HEBENSTREITIA

dentata
integrifolia

HELIOTROPIUM

grandiflorum
peruvianum

HERMANNIA

althæifolia
decumbens
flammea
incisa
grossularifolia
præmorsa

HIBBERTIA

grossularifolia
volubilis

HIPPOCREPIS

balearica

HOVEA

lanceolata
latifolia—30
linearis

HOVENIA

dulcis

HOUSTONIA

cærulea

HOYA

carnosa

HUMEA

elegans

HYPERICUM

ægyptiacum
balearicum
canariensis
coris
elodes
monogynum
olympicum

HYPOXIS

stellata
villosa

JASMINUM

azoricum
gracile
grandiflorum

JASMINUM

odoratissimum
revolutum

IBERIS

semperflorens

ILEX

balearica
cassine
crocea

myrtifolia

perado

vomitorea

ILICIMUM

parviflorum
floridanum

INDIGOFERA

amœna
aphylla
australis
cytisoides
glandulifera
hirsuta
lupinifolia
pinnata
purpurea
sarmentosa

IRIS

chinensis

ISOPOGON

anemonefolius
anethifolius

ITEA

cyrilla

JUNIPERUS

bermudiana
chinensis

JUSTICIA

adhatoda
hyssopifolia

IXIA

erecta
maculata
viridis
monadelphica
patens
plantaginea
scillaris

IXODIA

achillæoides

KALMIA

hirsuta

KENNEDIA

apetala
coccinea
comptoniana
monophylla
rubicunda

KIGGELARIA

africana

KNOWLTONIA

lævis
vesicatoria

LACHENALIA

angustifolia
fragrans
quadricolor
racemosa
tricolor

LACHNÆA

conglomerata
eriocephala
purpurea

LAMARCKIA

dentata

LAMBERTIA

formosa—80

LAPEYROUSIA

corymbosa
juncea

LASIOPETALUM

arborescens
ferrugineum
parviflorum
purpureum
quercifolium
solanaceum

LAURUS

borbonia
caroliniana

camphora

fœtens

indica

melissæfolia

nobilis fol. var.

LEPTOSPERMUM

ambiguum
baccatum
flavescens
grandifolium
juniperinum
incanum
lanigerum

LEPTOSPERMUM

myrtifolium
obliquum
rigidum
scoparium
tomentosum

LEUCOPOGON

lanceolatus
ovatus

LIMEUM

africanum

LIMONIA

monophylla

LINARIA

pilosa
triornithophora

LINUM

arboresum
maritimum
quadrifolium

LIPARIA

hirsuta—33
sericea
sphærica
tomentosa

LOBELIA

bellidifolia
bicolor
coronopifolia
erinus
ilicifolia
lutea
minuta
splendens
triquetra
unidentata

LODDIGESIA

oxalidifolia

LOMATIA

longifolia
silaifolia

LONICERA

flava
implexa
japonica
sempervirens *minor*

LOTUS

argenteus
jacobæus

LUPINUS

arborescens

LYCHNIS

coronaria

LYCIUM

afrum

LYCOPODIUM

helveticum

LYTHRUM

alatum

MAGNOLIA

annonæfolia
conspicua
fuscata
gracilis

MAHERNIA

incisa
multifida
pinnata

MALVA

capensis
retusa
umbellata

MAURANDIA

antirrhiniflora
semperflorens

MEDEOLA

asparagoides

MELALEUCA

armillaris
calycina
decussata
densa
diosmæfolia
ericæfolia
fulgens
genistifolia
hypericifolia
imbricata
linariifolia
nodosa
paludosa
pendulina
pulchella
stypheloides
tetragona
thymifolia

MELANTHIUM

spicatum

MELIA

azedarach

MELIANTHUS

major

MELIANTHUS

minor

MESEMBRYAN-
THEMUM

acinaciforme
acutum
adscendens
albidum
anatomicum
aurantium
aureum
australe
barbatum
bellidiflorum
bicolorum
bifidum
bracteatum
brevifolium
calamiforme
canaliculatum
caninum
cannædifolium
caulescens
clavatum
coccineum
conspicuum
cordifolium
crassifolium
cruciatum
curvisolium
cylindricum
cymbiforme
deflexum
deltoides
depressum
densum
difforme
dilatatum
dillenii
diminutum
diversifolium
dolabrilforme
dubium
echinatum
edule
emarginatum
expansum
falcatum
fastigiatum
felinum
filamentosum

MESEMBRYAN-
THEMUM

filiforme
fissum
flexuosum
floribundum
foliosum
forficatum
geniculiflorum
glaucescens
glaucoides
glaucum
glomeratum
hamosum
haworthii
heteropetalum
hirsutum
hispidum
imbricatum
inclaudens
incurvum
junceum
lacerum
læve
linguiforme
longum
loreum
maximum
micans
minutum
molle
multiflorum
muricatum
murinum
mutabile
nitidum
noctiflorum
obcordellum
pallens
parviflorum
perfoliatum
polyanthemum
pugioniforme
pulchellum
pulverulente
quadrisfidum
radiatum
ramulosum
rigidum
rostratum
rubicaule

MESEMBRYAN-
THEMUM

sarmentosum
scabrum
scalpratum
scandens
semicylindricum
serratum
speciosum
spectabile
spini forme
spinosum
stamineum
stellerigerum
striatum
strictum
subglobosum
taurinum
tenellum
tenuifolium
testiculare
tigrinum
tricolorum
tripolium
tuberosum
tumidulum
vaginatum
verruculatum
versicolor
virescens
virgatum
viride
viridiflorum
umbellatum
uncinatum
METROSIDEROS
citrina
hispidæ—106
lanceolata
linearis
longifolia
pinifolia
saligna
alba
scabra
speciosa
MIMULUS
glatinosus
MIRBELIA
reticulata
rubicæfolia

MONSONIA

filia
lobata
speciosa

MORÆA

edulis
lutescente

iridioides

pavonia

sisyrinchium

tricuspis

MYOPORUM

debile

ellipticum

virens

MYRICA

capensis

cordifolia

faya

quercifolia

lucida

MYRSINE

africana

retusa

MYRTUS

communis

boetica

fl. pleno

latifolia

lusitanica

mucronata

rosmarinifolia

tarentina

thymifolia

NANDINA

domestica

NERIUM

odorum

oleander

fl. alba

fl. carnea

fl. lutea

fl. pleno

fl. variegata

fol. varieg.

NOTELÆA

ligustrina

NEDERA

prolifera

OLEA

americana

OLEA

capensis

crassifolia

europæa

latifolia

fragrans

verrucosa

undulata

ONONIS

crispa

ORIGANUM

dictamnus

ORNITHOGALUM

arabicum

aureum

caudatum

fol. varieg.

juncifolium

thyrsoides

OSTEOSPERMUM

pisiferum

OTHONNA

athanasiae

frutescens

pectinata

perfoliata

OXALIS

caprina

convexula

dentata

elongata

flava

hirta

incarnata

lanata

rubella

speciosa

tenuifolia

tetraphylla

variabilis

rubra

alba

versicolor

OXYLOBIUM

cordifolium

lanceolatum

PEONIA

moutan

rubra

papaveracea

PASSERINA

capitata

filiformis

grandiflora

pectinata

spicata

PASSIFLORA

aurantia

PATTERSONIA

glabrata

PAVONIA

præmorsa

PELARGONIUM

acerifolium

acetosum

adulterinum

alchemilloides

angulosum

apiifolium

ardens

augustum

barringtonium

bicolor

major

blattarium

candidum

capitatum

carnosum

citronium

comptonianum

cordatum

coronopifolium

cortusæfolium

cotyledonis

cucullatum

cuspidatum

deltoidum

dianthiflorum

echinatum

rubrum

elegans

formannii

formosum

fragrans

fulgidum

gibbosum

glutinosum

grandiflorum

heterophyllum

hybridum

ignescens—109

- PELARGONIUM**
 incistum
 inquinans
 lacernum
 lateripes
 lobatum
 melananthum-- 87
 monstrosum
 multicuspis
 multifidum
 octabile
 oxalidifolium
 oxoniensis
 papilionaceum
 pedatum
 peltatum
fol. var.
 pennicillatum
 pictum
 princeps
 pubescens
 pulcherrimum
 pumilum
 quercifolium
 quinquevulnerum
 radula
 regium
 reniforme
 ribefolia
 rutilans
 selinum
 speciosum
 tabulare
 ternatum
 tricolor
arboreum
 trigonum
 triste
filipendulæfol
 zonale
fol. argent
fol. aur.
- PENTZIA**
 flabelliformis
- PERIPLOCA**
 lævigata
- PERSOONIA**
 lanceolata—25
 linearis
- PETROPHILA**
 pulchella
- PHARNACEUM**
 incanum
- PHLOMIS**
 leonurus
 purpurea
- PHORMIUM**
 tenax
- PHYLICA**
 australis
 buxifolia
 callosa
 daphnoides
 ericoides
 eriophoros
 orientalis
 ovata
 plumosa
 pubescens
 rosmarinifolia
 squarrosa—36
 stipularis
- PHYLLIS**
 nobla
- PIMELIA**
 linifolia
 rosea— 88
- PINUS**
 canariensis
 lanceolata
 longifolia
- PISTACIA**
 lentiscus
 minor
 narbonensis
 terebinthus
 vera
- PITTOSPORUM**
 capensis
 coriaceum
 revolutum
 tobira
 viridiflorum
 undulatum
- PLATYLOBIUM**
 formosum
 parviflorum
 triangulare
- PODALYRIA**
 biflora
 calyptrata
 sericea
- PODOLOBIUM**
 trilobatum
- POLYGALA**
 bracteolata
 graminea
 heisteria
 lanceolata
 micrantha
 mixta
 myrtifolia
 oppositifolia
 speciosa
 spinosa
 stipularis
 teretifolia
- POLYGONUM**
 volubilis
- POMADERRIS**
 apetala
 lanigera
 phylicæfolia-- 120
- PRASIMUM**
 majus
- PROSTANTHERA**
 lasianthos
- PROTEA**
 abietina
 acaulis
 argentea
 ciliata
 cinerea
 compacta
 cynaroides
 glauca
 glomerata
 grandiflora
 latifolia
 longifolia
 mellifera
 pallens
 pinaster
 purpurea
 saligna
 scolymus
 sericea
 serraria
 spatulata
 speciosa
- PSORALEA**
 aculeata
 aphylla
 bituminosa

PSORALEA

bracteata
decumbens
pinnata

PULTENEA

daphnoides
flexilis
obcordata

retusa

sericea

stipularis

stricta

villosa

PUNICA

nana

PYRUS

indica

RAFNIA

triflora

RESTIO

australasia

RHAMNUS

alaternus *aureis*

argenteis

balearicus

glandulosus

oleoides

tetragonus

theezans

RHUS

canariensis

lanceolatum

lucidum

tomentosum

viminalis

ROELLA

ciliata

ROSA

banksiae

bracteata

grevillii

indica

bichonia

centifolia

major

minor

purpurea

subalba

involucrata

lawrenceae

multiflora

odorata

ROSA

roxburgia

salicifolia

semperflorens

pleno

ROSMARINUS

officin. fol. arg.

f. aureis

ROYENA

angustifolia

glabra

hirsuta

lucida

media

RUBUS

rosæfolius

fl. pleno

rugosus

RUSCUS

androgynus

SALICORNIA

arabica

SALVIA

africana

aurea

chamædrifolia

coccinea

formosa

SATYRIUM

cucullatum—104

SAXIFRAGA

minuta

sarmentosa

SCÆVOLA

microcarpa

SCILLA

maritima

SELAGO

corymbosa

spuria

SEMPERVIVUM

arboereum

monanthes

SENECIO

speciosus

SEPTAS

capensis

SERISSA

fœtida

SESUVIUM

portulacastrum

SIDA

pulchella

SIDEROXYLON

inermis

melanophleum

reclinatum

tenax

SMILAX

chinensis

SOLANUM

laciniatum

pseudocapsicum

quadrangulum

tomentosum

SOWERBIA

junceae

SPARAXIS

grandiflora

tricolor

SPARMANNIA

africana

SPARTIUM

argenteum

monospermum

scorpius

SPHÆROLOBIUM

vimineum

SPIELMANNIA

africana

SPRENGELIA

incarnata

STAAVIA

radiata

STAPELIA

ambigua

anguinea

asterias

bisulca

bufonis

cæspitosa

campanulata

concinna

cordata

crassa

deflexa

divaricata

geminata

gemmaiflora

grandiflora

hamata

hirsuta

- STAPELLA**
 irrorata—127
 lentiginosa
 mammillaris
 mixta
 orbiculata
 pedunculata
 pulchella
 pulvinata
 radiata
 reclinata
 reticulata
 revoluta
 rufa
 sororia—94
 variegata
 venusta
 vetula
STATICE
 monopetala
 mucronata
 sinuata
STENANTHERA
 pinifolia
STEVIA
 eupatoria
STRUTHIOLOA
 erecta—74
 incana—11
 juniperina—75
 ovata
 pubescens
 virgata
STYLIDIUM
 fruticosum
 gramineum
SWAINSONA
 coronillæfolia
 galegifolia
 alba
TARCHONAN-
THUS
 camphoratus
TAXUS
 elongata
 macrophylla
 nucifera
TECOMA
 australis
 pandorea
TEEDIA
 lucida
TELOPIA
 speciosissima
TEMPLETONIA
 glauca
 retusa
TEUCRIUM
 betonicum
 flavum
 marum
THUJA
 articulata
TIGRIDIA
 pavonia
TRACHELIUM
 cæruleum
TRICHLONEMA
 cruciatum
TRISTANIA
 conferta
 laurina
 myrtifolia
 nerifolia
TRITOMA
 media
 pumila
 uvaria
TRITONIA
 crocata
 deusta
 lineata
 longiflora
 squalida
TULIPA
 breyniana
VACCINEUM
 meridionale
 myrsinites
 nitidum
VELLA
 psendocytisus
VELTHEIMIA
 viridifolia
VERBENA
 triphylla
VERONICA
 decussata
 labiata
VERONICA
 perfoliata
VIBURNUM
 chinensis
 laevigatum
 rugosum
VILLARSIA
 parnassifolia
VIMINARIA
 denudata
VIOLA
 arborescens
VIRGILIA
 capensis
ULMUS
 parvifolia
UVULARIA
 chinensis
WACHENDORFIA
 hirsuta
WATSONIA
 fulgens
 iridifolia
 marginata
 meriana
 rosea
 rosea alba
WESTRINGIA
 rosmarinifolia
WILDENOVIA
 teres
WITSENIA
 corymbosa
XANTHORRHEA
 hastile
 minor
XYLOMELUM
 pyriformis
XYRIS
 operculata
YUCCA
 aloefolia
 draconis
 filamentosus
fol. var.
 glauca
 gloriosa
ZIERIA
 smithii

HARDY TREES AND SHRUBS.

| | | |
|-----------------------|---------------------|-----------------------|
| ACACIA | AMYGDALUS | ARBUTUS |
| julibrissin | communis | unedo |
| ACER | nana | <i>fl. pleno</i> |
| campestre | persica | <i>fl. rubra</i> —123 |
| <i>fol. var.</i> | <i>fl. pleno</i> | uvaursi |
| creticum | nana | austriaca |
| dasy carpum | nectarina | ARISTOLOCHIA |
| hybridum | pumila <i>pleno</i> | pubescens |
| lobatum | sibirica | sipho |
| montanum | ANDROMEDA | ARISTOTELIA |
| monspessulanum | acuminata | macqui |
| negundo | arborea | ARTEMISIA |
| opalus | axillaris | abrotanum |
| palmatum | cærulea | ASTRAGALUS |
| platanoides | calyculata | tragacantha |
| pseudoplatanus | <i>angustifolia</i> | ATRAGENE |
| <i>fol. var.</i> | <i>latifolia</i> | americana |
| rubrum | nana | austriaca |
| saccharinum | <i>ventricosa</i> | sibirica |
| striatum | canescens | <i>rubra</i> |
| tataricum | cassinefolia | ATRIplex |
| ÆSCULUS | catesbæa | halimus |
| aculeata | coriacea | portulacoides |
| flava | frondosa | AUCUBA |
| hippocastanum | mariana | japonica |
| <i>fol. argenteis</i> | paniculata | AZALEA |
| <i>fol. aureis</i> | pilulifera | nudiflora |
| humilis | polifolia | <i>alba et rubra</i> |
| pavia | <i>angustifolia</i> | <i>aurantia</i> |
| parviflora | <i>latifolia</i> | <i>bicolor</i> |
| AILANTHUS | <i>minima</i> | <i>blanda</i> |
| glandulosus | pulverulenta | <i>calendulacea</i> |
| ALNUS | racemosa | <i>canescens</i> |
| incana | ANNONA | <i>carnea</i> |
| laciniata | glabra | <i>caroliniana</i> |
| oblongata | triloba | <i>coccinea</i> |
| pumila | ARALIA | <i>c. crispâ</i> |
| serrulata | spinosa | <i>c. major</i> |
| AMORPHA | ARBUTUS | <i>nudiflora</i> |
| cærulea | andrachne | <i>colorata</i> |
| fruticosa | <i>serratifolia</i> | |

| | | |
|---------------------|--------------------------|----------------------|
| AZALEA | BERBERIS | CELASTRUS |
| <i>cumulata</i> | <i>cretica</i> | <i>bullatus</i> |
| <i>cuprea</i> | <i>daurica</i> | <i>scandens</i> |
| <i>fastigiata</i> | <i>sibirica</i> | CELTIS |
| <i>flammea</i> | <i>vulgaris</i> | <i>cordata</i> |
| <i>flor. pleno</i> | BETULA | <i>fruticosa</i> |
| <i>florida</i> | <i>angulata</i> | <i>occidentalis</i> |
| <i>incana</i> | <i>daurica</i> | CEPHALANTHUS |
| <i>incarnata</i> | <i>excelsa</i> | <i>occidentalis</i> |
| <i>montana</i> | <i>nana</i> | CERCIS |
| <i>odorata</i> | <i>nigra</i> | <i>canadensis</i> |
| <i>pallida</i> | <i>papyracea</i> | <i>siliquastrum</i> |
| <i>paludosa</i> | <i>pendula</i> | CHIONANTHUS |
| <i>papilionacea</i> | <i>pontica</i> | <i>virginica</i> |
| <i>purpurea</i> | <i>populifolia</i> | CISTUS |
| <i>rosea</i> | <i>pumila</i> | <i>alpestris</i> |
| <i>ruberrima</i> | <i>sibirica</i> | <i>anglicus</i> |
| <i>rubra</i> —51 | <i>urticaefolia</i> | <i>albus</i> |
| <i>rufa</i> | BIGNONIA | <i>appenninus</i> |
| <i>rutilans</i> | <i>radicans</i> | <i>albus</i> |
| <i>serotina</i> | <i>major</i> | <i>coccineus</i> |
| <i>staminea</i> | BROUSSONETIA | <i>luteus</i> |
| <i>tomentosa</i> | <i>papyrifera</i> | <i>candidus</i> |
| <i>tricolor</i> | BUDDLEA | <i>grandiflorus</i> |
| <i>variegata</i> | <i>globosa</i> | <i>ruber</i> |
| <i>villosa</i> | BUXUS | <i>sulphureus</i> |
| <i>pontica</i> | <i>angustifolia</i> | <i>helianthemum</i> |
| <i>procumbens</i> | <i>arborescens</i> | <i>pleno</i> |
| <i>verticillata</i> | <i>fol. argent.</i> | <i>aurantium</i> |
| <i>viscosa</i> | <i>fol. aureis</i> | <i>fulgidum</i> |
| <i>alba</i> | <i>balearica</i> | <i>pleno</i> |
| <i>crispa</i> | <i>suffruticosa</i> | <i>roseum</i> |
| <i>dealbata</i> | CALYCANTHUS | <i>italicus</i> |
| <i>floribunda</i> | <i>fertilis</i> | <i>ladaniferus</i> |
| <i>glabra</i> | <i>floridus</i> | <i>laurifolius</i> |
| <i>glauc.</i> | <i>oblongus</i> | <i>laxus</i> |
| <i>g. serotina</i> | <i>pensylvanicus</i> | <i>monspeliensis</i> |
| <i>hirta</i> | <i>præcox</i> | <i>mutabilis</i> |
| <i>humilis</i> | CARPINUS | <i>luteus</i> |
| <i>lucida</i> | <i>betulus fol. var.</i> | <i>polifolius</i> |
| <i>odorata</i> | <i>orientalis</i> | <i>populifolius</i> |
| <i>pleno</i> | CASTANEA | <i>minor</i> |
| <i>præcox</i> | <i>americana</i> | <i>salicifolius</i> |
| <i>pubescens</i> | <i>aspienifolia</i> | <i>salvifolius</i> |
| <i>rubrescens</i> | <i>pumila</i> | <i>surreyanus</i> |
| <i>scabra</i> | <i>vesca</i> | CLEMATIS |
| <i>variegata</i> | <i>fol. var.</i> | <i>calycina</i> |
| BACCHARIS | CATALPA | <i>cirrhusa</i> |
| <i>halimifolia</i> | <i>syringæfolia</i> | <i>flammula</i> |
| BERBERIS | CEANOTHUS | <i>florida</i> |
| <i>americana</i> | <i>americanus</i> | <i>fl. pleno</i> |

CLEMATIS

orientalis
tritenata
virginica
italica
viticella

fl. rubra

fl. pleno

CLETHRA

acuminata
alnifolia
nana
pubescens

COLUTEA

arborescens
eruenta

COMPTONIA

asplenifolia

CORIARIA

myrtifolia

CORNUS

alternifolia
circinata
fastigiata
florida
mascula
paniculata
sanguinea
sibirica
stricta

fol. var.

CORONILLA

emerns

CORYLUS

americana
avellana

alba

glomerata

grandis

rubra

columna

rostrata

CRATÆGUS

apiifolia
azarolus
coccinea
cordata
crusgalli
elliptica
fissa

CRATÆGUS

flava
glandulosa
grossularifolia
incisa
monogynia
nigra
odoratissima
oliveria
oxyacantha
aurea
fl. pleno
fl. rosea
fol. variegatis
præcox

parvifolia

punctata

pyracanthifolia

pyrifolia

salicifolia

sanguinea

spatulata

spinosissima

tanacetifolia

CUPRESSUS

disticha

horizontalis

sempervirens

thyoides

CYTISUS

biflorus

capitatus

divaricatus

hirsutus

laburnum

latifolium

nigricans

purpureus

sessilifolius

supinus

DAPHNE

alpina—66

altaica

cneorum

fol. varieg.

collina

laureola

mezereum

alba

pontica

DIOSPYRUS

lotus

virginica

DIRCA

palustris

ELEAGNUS

angustifolius

EMPETRUM

nigrum

scoticum

EPHEDRA

monostachia

EPIGÆA

repens

ERICA

australis

rubra

carnea

ciliaris

cinerea

alba

stricta

tetralix

alba

vagans

alba

pallida

vulgaris

alba

pleno

EUONYMUS

americanus

angustifolius

atropurpureus

europæus

latifolius

'verrucosus

FAGUS

asplenifolia

ferruginea

purpurea

sylvatica

cristata

fol. var.

FICUS

carica

FOTHERGILLA

gardeni

latifolia

FRAXINUS

americana

FRAXINUS

crispa
diversifolia
excelsior
cortice striata
fol. var.
pendula

juglandifolia

lenticifolia

paniculata

pannosa

pubescens

rotundifolia

sambucifolia

GAULTHERIA

procumbens—82

GENISTA

anglica

germanica

italica

pilosa

sagittalis

sibirica

tinctoria

triquetra

GLEDITSCHIA

chinensis

horrida

macrocanthos

monosperma

triacanthos

GLYCINE

frutescens

GORDONIA

pubescens

GYMNOCLADUS

canadensis

HALESIA

diptera

tetraptera

HAMAMELIS

virginica

HEDERA

helix

fol. arg.

fol. aur.

latifolia

poetica

HIBISCUS

syriacus

alba

HIBISCUS

syriacus

alba pleno

fol. var.

purpurea

rubra

rubra pl.

variegata

HIPPOPHLEA

argentea

canadensis

rhamnoides

sibirica

HYDRANGEA

arborescens

glauca

heterophylla

hortensis

quercifolia

HYPERICUM

androsæmum

calycinum

elatum

hircinum

minor

prolificum

JASMINUM

fruticans

humile

officinale

fol. argent

fol. aur.

ILEX

aquifolium

fol. argent

fol. auris

crassifolia

fructu lutea

heterophylla

recurva

ferox

fol. argent

fol. auris

opacea

prinoides

ITEA

virginica

JUGLANS

alba

cinerea

minima

JUGLANS

nigra

olivaformis

regia

JUNIPERUS

alpina

canadensis

communis

drupacea

oxycedrus

phœnicea

repens

sabina

fol. varieg.

sibirica

suecica

tamariscifolia

thurifera

virginica

KALMIA

angustifolia

fol. var.

rubra

glauca

alba

latifolia

salicifolia

KOEULREUTERIA

paniculata

LAURUS

benzoin

nobilis

angustifolia

sassafras

LEDUM

buxifolium—52

decumbens

latifolium

palustre

media

rusmarinifolia

LIGUSTRUM

vulgare

fol. var.

sempervirens

LINNÆA

borealis

LIQUIDAMBAR

imberbe

styraciflua

LIRIODENDRON

tulipifera
integrifolia

IONICERA

alpigena
caprifolium *alba*
rubra
caucasica
cœrulea
diervilla
dioica
grata
nigra
periclymenum
belgica
serotina
quercifolia
fol. var.

purcox
pyrenaica
sempervirens
symphoricarpos
tatarica
xylosteum

LYCIUM

barbarum

MAGNOLIA

acuminata
auriculata
cordata
glauca
arborea
grandiflora
croatica
ferruginea
obtusifolia

macrophylla
purpurea
pyramidata
tripetala

MENISPERMUM

canadensis

MENZIESIA

ferruginea
globularis
nana
polifolia

MESPILUS

chamæmespilus
cotoneaster
germanica

MESPILUS

grandiflora
japonica
pyracantha
tomentosa

MITCHELLA

repens

MORUS

alba
nigra
pensylvanica
pumila
rubra
tatarica

MYRICA

cerifera
gale

NYSSA

aquatica
capitata
multiflora
sylvatica

ONONIS

fruticosa
rotundifolia

OSTRYA

vulgaris
virginica

PASSIFLORA

cœrulea

PERIPLOCA

græca

PHILADELPHUS

coronarius
fol. var.
grandiflorus
inodorus
nanus

PIHLLYREA

angustifolia
luxifolia
ilicifolia
levis
latifolia
media
fol. var.

PHLOMIS

fruticosa latif.
angustifol.

PINUS

abies

PINUS

alba
balsamea
banksiana
canadensis
cedrus
cembra
clanbrassiliana
halapensis
mops
laricio
larix
sibirica

microcarpa

mitis

nigra

pendula

picea

pinaster

pinex

pumilio

rigensis

rigida

rubra

strobilus

sylvestris

tæda

PLATANUS

acerifolia
occidentalis
orientalis

POLYGALA

chamæluxus

POPULUS

alba
angulata
balsamifera
fol. var.
candicans
dilatata
græca
grandidentata
monilifera
nigra
nivea
pendula
tremula
tremuloides

POLYGONUM

frutescens

POTENTILLA

fruticosa

PRINOS

ambiguus

cassinoides

glaber

kevigatus

lanceolatus

prunifolius

verticillatus

PRUNUS

armeniaca

caroliniana

cerasus

fl. pleno

chicasa

domestica

laurocerasus

*angustifolia**fol. var.*

lusitanica

mahaleb

maritima

montana

nigra

padus

pendula

pensylvanica

prostrata

pumila

rubra

sibirica

virginica

PTELEA

trifoliata

PUNICA

granatum

*pleno**flava*

PYROLA

maculata

umbellata

PYRUS

amelanchier

americana

angustifolia

arbutifolia

*fr. lutea**fr. nigra*

aria

PYRUS

aria

dentata

baccata

botryapium

communis

*fl. pleno**fol. var.*

coronaria

cydonia

græca

intermedia

japonica

alba

malus

nivea

orientalis

ovalis

pensylvanica

pollveria

præcox

pumila

salicifolia

sanguinea

sibirica

sorbifolia

spectabila

torminalis

transparens

QUERCUS

alba

banisteri

cerris

champaniensis

coccifera

coccinea

exoniensis

falcata

gramuntia

ilex

lyrata

montana

nigra

paludosa

palustris

phellos

prius

palustris

rubra

sinuata

QUERCUS

squamosa

stellata

suber

turneri

virens

RHAMNUS

alaternus

*fol. var.**lacinatus**fol. var.*

alnifolius

alpinus

catharticus

floridus

frangula

hybridus

infectorius

latifolius

saxatilis

RHODODEN-

DRON

azaleoides

cataubiense

caucasicum

chamæcistus

chrysanthum

dauricum

sempervirens

ferrugineum—65

hirsutum

fol. var.

myrtifolium

maximum

ponticum

*angustifolium**cassinefolium**contortum**fol. var.**frondosum**macrophylla**obtusum**oratum**pumilum**roseum**salicifolium*

punctatum

RHODORA

canadensis

| | | | | |
|-----------------|-------------------|-----------------|----------------------|----------------|
| RHUS | | ROSA fl. simpl. | | ROSA fl. pleno |
| | copallinum | | 10 cinnamomea | |
| | cotinus | | 11 corymbosa | |
| | glabrum | | 12 damascena | |
| | suaveolens | | 13 ferox | |
| | toxicodendron | | 14 florida | |
| RIBES | typhimum | | 15 gallica | |
| | alpinum | | 16 <i>minor</i> | |
| | aureum | | 17 gordonii | |
| | cynobati | | 18 kamtschatica | |
| | diantha | | 19 lutescens | |
| | glandulosum | | 20 moschata | |
| | grossularia | | 23 palustris | |
| | longiflorum | | 24 pendulina | |
| | missouriensis | | 25 pennsylvanica | |
| | nigrum | | 26 præcox | |
| | oxyacanthoides | | 27 provincialis | |
| | petraeum | | 28 procera | |
| | resinosum | | 29 pumila | |
| | rubrum | | 30 rubella | |
| | <i>fol. var.</i> | | 31 sempervirens | |
| ROBINIA | | | 32 spinosissima | |
| | altagana | | 33 <i>striata</i> | |
| | caragana | | 34 <i>variegata</i> | |
| | chamlagu | | 35 ayrshire | |
| | frutescens | | 36 sanguinea | |
| | glutinosa | | 37 sibirica | |
| | halodendron | | 38 villosa | |
| | hispida | | 39 <i>fr. glabra</i> | |
| | <i>arborea</i> | | 40 bicolor | |
| | jubata | | 41 lutea | |
| | macrophylla | | 42 rubiginosa | |
| | microphylla | | 44 taurica | |
| | procera | | 46 spinos. purpur. | |
| | pseudacasia | | 47 <i>marmorea</i> | |
| | pygmaea | | 48 virens | |
| ROSA fl. simpl. | sepium | ROSA fl. pleno | | |
| | spectabilis | | 61 great royal | |
| | spinosa | | 62 plicate | |
| | | | 63 francis | |
| | 1 alpina | | 64 lisbon | |
| | 2 <i>rubra</i> | | 65 rheims | |
| | 3 americana | | 66 double burnet- | |
| | 4 arvensis | | leaved | |
| | 5 blanda | | 67 cluster maiden | |
| | 6 canina. varieg. | | blush | |
| | 7 carolina | | 68 goliah | |
| | 8 caucasea | | 69 childing's pro- | |
| ROSA fl. pleno | 9 centifolia | | vence | |
| | | | 70 hainault | |
| | | | 71 portland | |
| | | | 72 bishop | |
| | | | 73 giant | |
| | | | 74 blush royal | |
| | | | 75 double apple- | |
| | | | bearing | |
| | | | 76 blush belgie | |
| | | | 77 singleton's | |
| | | | 100-leaved | |
| | | | 78 virginis | |
| | | | 79 double purple | |
| | | | 80 dutch provence | |
| | | | 81 damask pro- | |
| | | | vence | |
| | | | 82 dutch 100- | |
| | | | leaved | |
| | | | 83 spanish | |
| | | | 84 red cluster | |
| | | | 85 burgundy | |
| | | | 86 pencilled mig- | |
| | | | non | |
| | | | 87 blush provence | |
| | | | 88 crimson | |
| | | | 89 dwarf provence | |
| | | | 90 watson's blush | |
| | | | 91 royal provence | |
| | | | 92 cinnamon | |
| | | | 93 garnett | |
| | | | 94 double white | |
| | | | damask | |
| | | | 95 mundi | |
| | | | 96 frankfort | |
| | | | 97 professor | |
| | | | 98 marbled | |
| | | | 99 moss | |
| | | | 100 prolific moss | |
| | | | 101 unique | |
| | | | 102 stepney | |
| | | | 103 four seasons | |
| | | | 104 small 100- | |
| | | | leaved | |
| | | | 105 blandford | |
| | | | 106 double velvet | |
| | | | 107 great maiden's | |
| | | | blush | |
| | | | 108 york and lan- | |
| | | | caster | |
| | | | 109 double white | |
| | | | 110 flesh-coloured | |

ROSA fl. pleno

- 111 royal bouquet
- 112 superb red
- 113 agate
- 114 belle vue
- 115 admirable
- 116 favourite
purple
- 117 red and violet
- 118 fine crimson
- 119 violet
- 120 gloria mundi
- 121 matchless
- 122 nonpareil
- 123 fine purple
- 124 incomparable
- 125 purple velvet
- 126 sable
- 127 brilliant
- 128 purple violet
- 129 formidable
- 130 red officinal
- 131 atlas
- 132 red belgie
- 133 roman
- 134 archbishop
- 135 hero
- 136 andalusian
- 137 brabant
- 138 spongs
- 139 red damask
- 140 aurora
- 141 proliferous car-
mine
- 142 mogul
- 143 luxemburgh
- 144 hildesheim
- 145 hortulanus
- 146 mignon
- 147 pluto
- 148 striped nosegay
- 149 pomona
- 150 niobe
- 151 black frizzled
- 152 proserpine
- 153 mottled
- 154 delicate
- 155 coupée
- 156 ajax
- 157 delicious

ROSA fl. pleno

- 158 one-sided
- 159 refulgent
- 160 chancellor
- 161 invincible
- 162 sultana
- 163 nonsuch
- 164 burning coal
- 165 blush monthly
- 166 bright crum-
pled
- 167 ranunculus
- 168 grand monarch
- 169 crimson mig-
non
- 170 early ranun-
culus
- 171 double dog
- 172 flanders
- 173 triumphant
- 174 clysian
- 175 red mignon
- 176 phœnix
- 177 infernal
- 178 paragon
- 179 stæbon
- 180 favorite mig-
non
- 181 princess
- 182 shell
- 183 blue purple
- 184 double scotch
- 185 globe
- 186 stadtholder
- 187 early blush
- 188 grand trium-
phant
- 189 royal virgin
- 190 bright purple
- 191 zealard
- 192 perruque
- 193 bourbon
- 194 pyramidal
- 195 early 100-
leaved
- 196 dwarf prolific
- 197 imperial blush
- 198 danæe
- 199 celestial
- 200 cardinal

ROSA fl. pleno

- 201 double white
thornless
- 202 leafy
- 203 hertford
- 204 white moss
- 205 glowing
- 206 double offici-
nal
- 207 leyden
- 208 antwerp
- 209 ten leaved
- 210 elegans
- 211 meaux
- 212 hispida
- 213 belle rouge
- 214 nassau
- 215 lake
- 216 carmine
- 217 beauté rouge
- 218 panachée
- 219 renommée
- 220 insurmount-
able
- 221 bouquet su-
perbe
- 222 blanche su-
perbe
- 224 cramoisie im-
periale
- 225 eblouissante
- 226 triomphante
- 227 panachée
- 228 couronne des
roses
- 229 fleur de parade
- 230 grand cra-
moisie
- 231 grand pivoine
- 232 gloria rubro-
rum
- 233 red velvet
- 234 la superbe
- 235 la virginité
- 236 la grandesse
- 237 pink velvet
- 238 nouvelle pro-
vence
- 239 ornement de
parade

| ROSA fl. pleno | ROSA fl. pleno | ROSA fl. pleno |
|------------------------------|-----------------------|---------------------------------|
| 240 pourpre imperiale | 289 la reine | 339 tuscany |
| 241 perfecta | 290 raphael | 340 d. blush scotch |
| 242 rouge agreable | 291 vesta | 341 d. red scotch |
| 243 rouge eclatante | 292 ravenna | 342 d. yellow do. |
| 244 rouge frappante | 293 franconia | 343 italian |
| 245 violette foncée | 294 grande foncée | 344 negro |
| 246 violette supe- rieure | 295 sarmatian | 345 yorkshire pro- vence |
| 247 painted | 296 carthaginian | 346 lurida |
| 248 triomphe royale | 297 sirius | 347 mottled purple |
| 249 pomeranian | 298 sugar loaf | 348 dark shell |
| 250 triangular | 299 monstrosa | 349 striped mignon |
| 251 double sweet briar | 300 isabella | 351 fiery |
| 252 manning's sweet briar | 301 brunette | 352 cherry |
| 253 red sweet briar | 302 iconium | 353 royal purple |
| 254 evergreen s. briar | 303 morin des dames | 354 dark mignon |
| 255 berkshire | 304 dorothee | 355 white pompone |
| 256 eglantine s. briar | 305 regina florum | 356 queen's provence |
| 257 mossy s. briar | 306 abyla | 357 agate favorite |
| 258 felicité | 307 king of mexico | 358 prolifere |
| 259 semi-double s. briar | 308 erato | 359 royal |
| 260 monstrous do. | 309 rosabel | 360 aimable beauté |
| 261 common provence | 310 agate japonese | 361 violette |
| 262 cabbage provence | 311 favonius | 362 amour constant |
| 263 red provence | 312 belle cataline | 363 beauté frappante |
| 264 red monthly | 313 trebonius | 364 sanspareille |
| 265 double pensyl- vanian | 314 triomphe | 365 belle actrice |
| 266 double musk | 315 vacuna | 366 aimable |
| 267 double yellow | 316 harpagus | 367 charmante pourpre |
| 268 l'amitié | 317 rose la mode | 368 belle du jour |
| 269 pompone | 318 veritas | 369 flamande |
| 270 durham | 319 ludovicus | 370 forme |
| 271 felix | 320 bizard royal | 371 hative |
| 276 bifera carnea | 321 perseus | 372 incarnate |
| 277 centifol. carnea | 322 tresorier | 373 parade |
| 278 eglanteria pumila | 323 cabinet | 374 sans flatterie |
| 280 white monthly | 324 virgo | 375 therese |
| 281 violette curieuse | 325 florentine | 376 rosanna |
| 282 agate magnifique | 326 violet maculata | 377 bouquet aimable |
| 283 violette superbe | 327 ulterio | 378 blanche |
| 284 rode niger | 329 princesse noble | 379 panachée |
| 285 orient | 330 negre panaché | 380 parfaite |
| 286 iris noir | 331 silenius | 381 brune brillante |
| 287 paulina | 332 virgo cramoisie | 382 brunette aimable |
| 288 noir foncée | 333 violette nouvelle | 383 superbe |
| | 334 pierian | 384 cramoisie incom- parable |
| | 335 lystra | 385 nouvelle |
| | 336 idumaea | |
| | 337 dalmatia | |
| | 338 patmos | |

| ROSA fl. pleno | ROSA fl. pleno | ROSA fl. pleno |
|------------------------|------------------------|------------------------|
| 386 sanspareille | 431 mon bijou | 475 surpasse tout |
| 387 centifolia nova | 432 multiplex | 476 transparente |
| 388 dutch cinnamon | 433 nigritienne | nouvelle |
| 389 couleur a la mode | 434 non plus ultra | 477 velours cramoisie |
| 390 de cerise | 435 normandica | 478 velouté |
| 391 de feu | 436 nouvelle favorite | 479 venerable |
| 392 excellente | 437 ornement de vio- | 480 violette agreable |
| 393 favorite des dames | lette | 481 aimable |
| 394 feu amoureux | 438 du park | 482 brillante |
| 395 fleur de pomme | 439 pallida | 483 scarlet provence |
| 396 gloria mundi | 440 panache admira- | 484 shailers do. |
| pallido | ble | 485 double hip |
| 397 grande pompa- | 441 sanspareille | 486 paradise |
| dour | 442 superbe | 487 dark mabled |
| 398 angloise | 443 perle de l'orient | 488 castile |
| 399 grandeur royal | 444 petite cramoisie | 489 swiss |
| 400 grandesse royale | 445 panachée | 490 montpelier |
| 401 grisdeline | 446 pyramide pourpre | 491 siren |
| 402 hollandia magni- | 447 pomme granade | 492 maiden |
| flora | 448 discolor | 493 dragon |
| 403 painted belgie | 449 pourpre agreable | 494 dark mottled |
| 404 l'abondance | 450 charmante | 495 fringed |
| 405 la constance | 451 de Tyre | 496 york and lancaster |
| 406 la coquette | 452 des vallées | scotch |
| 407 l'admirable | 453 incomparable | 497 victoria |
| 408 la fidele | 454 obscure | 498 venus |
| 409 le grandeur | 455 sans defaute | 499 fair maid |
| 410 la gracieuse | 456 sanspareille | 500 parson |
| 411 la magnifique | 457 superbe | 501 princess scotch |
| 412 la majestueuse | 458 rex rubrorum | 502 great mogul |
| 413 la mignarde | 459 riche en fleurs | 503 royal purple |
| 414 la moderne | 460 roi des pourpres | 504 bold |
| 415 la parfaite | 461 rose agreable | 505 tree burnet leared |
| 416 la parisienne | 462 bouquet | 506 ruby |
| 417 la plus belle | 463 du prince | 507 favorite |
| 418 la plus rouge | 464 prolifera | 508 princely |
| 419 la precieuse pour- | 465 violette sanspa- | 509 flora |
| pre | reille | 510 prince |
| 420 la reine des roses | 466 rouge luisante | 511 scarlet brabant |
| 421 la tendresse | 467 panachée | 512 york |
| 422 la victorieuse | 468 sans epines | 513 helena |
| 423 l'impayable | 469 rubiginosa um- | 514 cent feuille en |
| 424 l'importante | beillata | faisseau |
| 425 l'ombre panaché | 470 sans defaute | 515 blanche sans |
| 426 sanspareille | 471 sanspareille | epines |
| 427 superbe | 472 singuliere agate | 516 Isis |
| 428 l'obscurité | 473 spinosissima sub- | 517 renoncule |
| 429 maximus | pleno | 518 betula |
| 430 rouge bien vere | 474 surpasse singleton | 519 adelina |

| | | |
|-----------------------|-----------------------|-----------------------|
| ROSA fl. pleno | ROSA fl. pleno | SALIX |
| 520 terminale | 571 belle cerise | <i>latifolia</i> |
| 521 derby | 572 duc de berri | cinerea |
| 522 fauchette | 574 maculée | cœrulea |
| 523 pilgrim | 575 raoulle | decipiens |
| 524 belle inconnue | 576 caroline | forbyana |
| 525 sheffield | 577 louis 18 | fragilis |
| 526 monstrous cluster | 578 belle rosine | fusca |
| 527 armida | 579 panachée nouvelle | glauca |
| 528 oldenburg blush | 581 hyacinthe | hastata <i>fœmina</i> |
| 529 frilled | 582 augustine | <i>mascula</i> |
| 530 lancaster damask | 584 roi de rome | helix |
| 531 spiral | 585 duc d'angoulême | herbacea |
| 532 venetian | 586 couronne | hermaphrodita |
| 533 juno | 587 la parfaite | incubacea |
| 534 couleur de chair | 588 champigny | lambertia |
| nouvelle | 590 gienviere | lanata |
| 535 hybride | 591 aglace noir | lapponum |
| 536 belle brune | 593 ardoise | mollissima |
| 537 superbe brune | ROSMARINUS | mysinities |
| 539 pale odeur suave | officinalis | myrtilloides |
| 540 pourpre nouvelle | RUBUS | nigra |
| 541 amaranthe | fruticosus | pensylvanica |
| 542 negresse | <i>fl. pleno</i> | pentandra |
| 544 duchesse d'angou- | <i>inermis</i> | petiolaris |
| leme | <i>apiifolia</i> | phylicæfolia |
| 545 don des dames | idaeus | picta |
| 546 minerva | niger | prunifolia |
| 547 yorkshire blush | occidentalis | purpurea |
| 548 ragged robin | odoratus | repens |
| 549 stephanus | pensylvanicus | reticulata |
| 550 dido | villosus | retusa |
| 551 lodona | virginicus | rosmarinifolia |
| 552 pegasus | RUSCUS | rubra |
| 553 abyia | aculeatus | rugosa |
| 554 dwarf chester | hypoglossum | rupestris |
| 555 neptune | hypophyllum | russeliana |
| 556 madder | racemosus | septentrionalis |
| 557 danish | SALISBURIA | sericea |
| 558 achæia | adiantifolia | sphacelata |
| 559 canopus | SALIX | stipularis |
| 560 palestine | acuminata | tenuifolia |
| 561 orion | alpina | triandra |
| 562 red thornless | amygdalina | tristis |
| 563 calypso | aquatica | venulosa |
| 565 palmyra | arenaria | vinimalis |
| 566 spartan | <i>var</i> | violacea |
| 567 assyrian | argentea | vitellina |
| 568 harlem | babylonica | SALSOLA |
| 569 pestana | bicolor | fruticosa |
| 570 jolie | caprea <i>mascula</i> | |

| | | |
|-----------------------|---------------------|------------------|
| SAMBUCUS | STUARTIA | VACCINEUM |
| alba | malacodendron | angustifolium |
| canadensis | marilandica | arctostaphylos |
| laciniata | STYRAX | buxifolium |
| nigra | lævigatum | corymbosum |
| fol. arg. | officinalis | crassifolium |
| racemosa | SYMPHORICAR- | elevatum |
| SIDEROXYLON | POS | erythrocarpum |
| lycioides | leucocarpos | formosum |
| SMILAX | SYRINGA | frondosum |
| aspera | chinensis | fuscatum |
| caduca | media | hallerifolium |
| excelsa | persica | hispidulum |
| laurifolia | alba | latifolium |
| sarsaparilla | laciniata | ligustrifolium |
| tamnoides | vulgaris | macrocarpon |
| virginiana | alba | marilandicum |
| SOPHORA | TAMARIX | myrtillus |
| japonica | gallica | nigrum |
| SORBUS | germanica | oxycoccus |
| americana | TAXUS | pensylvanicum |
| aucuparia | baccata | pumilum |
| domest. <i>malif.</i> | fol. <i>varieg.</i> | resinosum |
| pyriformis | hibernica | scabrum |
| hybrida | procumbens | speciosum |
| lanuginosa | THEA | stamineum |
| SPARTIUM | bohea | venustum |
| decumbens | viridis | virgatum |
| juncenm | THUJA | viride |
| fl. pleno | filiformis | vitisidæa |
| multiflorum | occidentalis | major |
| radiatum | orientalis | minor |
| scoparium | plicata | uliginosum |
| SPIRÆA | tatarica | VIBURNUM |
| canadensis | TILIA | acerifolium |
| chamædryfolia | alba | alnifolium |
| crenata | americana | carolinum |
| hypericifolia | corallina | cassinoides |
| lævigata | europæa | dauricum |
| opulifolia | pubescens | dentatum |
| salicifolia | ULMUS | lantana |
| minor | americana | fol. var. |
| sibirica | campestris | latifolium |
| sorbifolia | fol. var. | lantanoïdes |
| thalictroides | crispa | lentago |
| tomentosa | fungosa | nudum |
| trilobata | glabra | opulifolium |
| ulmifolia | hispanica | opulus |
| STAPHYLLEA | latifolia | fol. var. |
| pinnata | stricta | prunifolium |
| trifolia | VACCINEUM | |
| | amœnum | |

VIBURNUM
pyrifolium
tinus
fol. aureis
lucidum
hirtum

VINCA
major
minor
fl. pleno
fol. argent
fol. aureis

VIRGILIA
lutea

VITEX
agnuscastus

VITIS
alexandria
arborea
blandia
cordifolia
hederacea
hirsuta
labrusca
odoratissima
vinifera
vulpina alba

VITIS
vulpina
rubra
nigra

ZANTHORIZA
apiifolia

ZANTHOXYLUM
fraxinifolium

ZIZIPHUS
paliurus
volubilis

HARDY PERENNIALS.

ACENA
lævigata
latebrosa
lucida

ACANTHUS
mollis
spinosus

ACHILLEA
abrotanifolia
ageratum
alpina
chrysanthemifolia
clavennæ
cristata
crithmifolia
eupatoria
grandiflora
impatiens
macrophylla
magna
microphylla
millefolium
moschata
nobilis
ptarmica pleno
pubescens
rosea

ACHILLEA
serrata
setacea
speciosa
tanacetifolia
tomentosa
ACONITUM
album
canmarum
lycoctonum
macrophyllum
napellus
neomontanum
ochroleucum
pyramidatum
pyrenaicum
rectum
septentrionale
spicatum
tauricum
variegatum
volubile
uncinatum

ACORUS
calamus
gramineus

ACTÆA
racemosa
spicata
ADONIS
vernalis
ADOXA
moschatellina

ÆGOPODIUM
podagraria
AGRIMONIA
agrimonoides
eupatoria
odorata
repens

AGROSTEMMA
coronaria
fl. pleno
flos jovis

AJUGA
alba
alpina
genevensis
pyramidalis
reptans

ALCHEMILLA
alpina
hybrida

- ALCHEMILLA**
 pubescens
 vulgaris
ALETIS
 aurea
 farinosa
ALLIUM
 altaicum
 ampeloprasium
 angulosum
 arenarium
 baikalensis
 bisulcum
 canadensis
 cernuum
 chamæmoly
 ciliatum
 controversum
 descendens
 globosum
 gracile
 lacteum
 magicum
 moly
 nigrum
 nutans
 obliquum
 ochroleucum
 odorum
 paniculatum
 reticulatum
 roseum
 schœnoprasium
 senescens
 striatum
 tataricum
 triquetrum
 viminale
 violaceum
 undulatum
ALTHÆA
 cannabina
 officinalis
 rosea
ALYSSUM
 creticum
 montanum
 murale
 olympicum
 rostratum
 saxatile
- AMARYLLIS**
 lutea
AMSONIA
 latifolia
 salicifolia
ANCHUSA
 italica
 ochroleuca
ANDROSACE
 carnea—40
 chamæjasme
 elongata
 villosa
ANDRYALA
 lanata
ANEMONE
 alpina
 appenina
fl. pleno
 baldensis
 cernua
 coronaria
 hepatica
fl. pleno
carulea
fl. pl.
 alba
 hortensis
 rubra
pleno
 narcissiflora
 nemorosa
fl. pleno
 ochotensis
 palmata
 patens
 pratensis
 pulsatilla
 ranunculoides
 sylvestris
 thalictroides
ANTHEMIS
 anomala
 nobilis pleno
 pyrethrum
 saxatilis—126
 triumfetti
ANTHERICUM
 liliago
 liliastrum
- ANTHERICUM**
 ossifragum
 ramosum
ANTHYLLIS
 vulnocraria
ANTIRRHINUM
 majus
coccineum
APHYLLANTHUS
 monspeliensis
APOCYNUM
 androsæmifolium
 cannabinum
 hypericifolium
 venetum
AQUILEGIA
 canadensis
 grandiflora
 sibirica
 viridiflora
 viscosa
 vulgaris
ARABIS
 alpina
 bellidifolia
 crispata
 lucida
 sibirica
ARALIA
 nudicaulis
 racemosa
ARENARIA
 balearica
 loricifolia
 longifolia
 montana
 paniculata
 pensylvanica
 peplodes
 saxatilis
 verna—98
ARETIA
 vitaliana
ARISTOLOCHIA
 clematitis
 serpentaria
ARMERIA
 alba
 alpestris
 cephalotes
 denticulata

ARNICA

bellidiastrum
montana

ARTEMISIA

argentea
boerhaavia
caucasica
dracunculus
maritima
obliqua
rupestre
santonica
sericea
spicata

ARUM

arisarum
dracontium
dracunculus
italicum
maculatum
triphyllum
virginicum

ARUNDO

donax

ASARUM

canadense
carolinum
europæum
virginicum

ASCLEPIAS

amœna
decumbens
nivea
pulchra
rubra
syriaca
tuberosa
variegata

ASPARAGUS

verticillatus

ASPERULA

lævigata
odorata
repens
taurina

ASPHODELUS

altaicus
luteus
ramosus
tauricus

ASPIDIUM

aculeatum
auriculatum
bulbiferum
cristatum
dentatum
filix fœmina
filix mas
fragile
lonchites
marginale
regium
thelypteris

ASPLENIUM

adiantum nigrum
ruta muraria
septentrionale
trichomanes
viride

ASTER

æstivus
alpinus
ramosus

altissimus
amellus
carolinus
concolor
cordifolius
corymbosus
diffusus
divaricatus
dumosus
ericoides
foliosus
fragile
grandiflorus
hyssopifolius
juncus
lævis
linarifolius
linifolius
lucidus
macrophyllus
miser
mutabilis
nova anglia
nova belgica
paludosus
paniculatus
pulcherrimus—2
puniceus

ASTER

radule
rigidus
rivularis
salicifolius
sibiricus
speciosus
spectabilis
spurius
tardiflorus
tenuifolius
tradescantii
tripolium
umbellatus
undulatus

ASTRAGALUS

alopecuroides
canadensis
cicer
excapus
galegiformis
glyciphyllus
leucophæus—111
micranthus
monspessulanus
sulcatus
tenuifolius
virescens
uliginosus
uralensis—53

ASTRANTIA

major
maxima
minor—93

ATHAMANTA

condensata
meum
rigida

ATROPA

belladonna
mandragora

BAISAMITA

vulgaris

BAPTISIA

alba
australis
tinctoria

BARBAREA

vulgaris pleno

BELLIS

lusitanica

- BELLIUM**
 bellidioides
BETONICA
 alopecurus
 danica
 grandiflora
 hirsuta
 officinalis
 orientalis
 stricta
BLECHNUM
 boreale
BOCCONIA
 cordata
BOLTONIA
 asteroides
BORAGO
 laxiflora
 orientalis
BOTRYCHIUM
 dissectum
 virginicum
BRIZA
 minor
BUFFONIA
 perennis
 tenuifolia
BULBOCODIUM
 vernum
BUPHTHALMUM
 cordifolium
 grandiflorum
 helianthoides
 salicifolium
BUPLEURUM
 graminifolium
 longifolium
 petraeum
CACALIA
 saracenica
 suaveolens
CALTHA
 flabellifolia
 palustris pleno
 radicans
CAMPANULA
 aggregata
 alliariæfolia
 azurea
 barbata
 betonicaefolia
CAMPANULA
 bononiensis
 carpatica
 collina
 coronata
 glomerata
 alba
 hederacea
 latifolia
 alba
 lilifolia
 nana
 nitida
 patula
 peregrina
 percicaefolia
 maxima
 fl. pleno
 pumila
 punctata
 pyramidalis
 alba
 rapunculoides
 rotundifolia
 sibirica
 suaveolens
 thyrsoides
 trachelioides
 trachelium
 fl. pleno
 alba pl.
 versicolor
CARDAMINE
 asarifolia
 hastulata
 petraea
 pratensis pl.
 trifolia
CARDUUS
 carlinæfolius
 helenioides
 horridus
CAREX
 fraseri
CARLINA
 acaulis
 echinus
CARPESIUM
 cernuum
CASSIA
 marilandica
CATANANCHE
 cœrulea
CENTAUREA
 atropurpurea
 caucasea
 cinerea
 chlorantha
 dealbata
 ferox
 glastifolia
 macrocephala
 montana
 nigra
 ochroleuca
 phrygia
 pinnata
 reflexa
 rhapontica
 scabiosa
 sibirica
 splendens
CERASTIUM
 alpinum
 dioicum
 latifolium
 tomentosum
CHAPTALIA
 tomentosa
CHEIRANTHUS
 alpinus
 cheiri
 cuspidatus
 erysimoides
CHELIDONIUM
 majus
CHELONE
 barbata
 glabra
 obliqua
 speciosa
CHERLERIA
 sedioides
CHRYSANTHE-
 MUM
 achilleæ
 alpinum
 anthemoides
 atrum
 barrelierii
 coccineum
 crithmifolium

**CHRYSANTHE-
MUM**

grandiflorum
indicum
fl. alba
fl. cupræa
fl. flava
fl. fusca
fl. lutea
fl. purpurea
fl. rosea
latifolium
leucanthemum
macrophyllum
ptarmicæfolium
tenuifolium

CHRYSOCOMA

germanica
linosyris
villosa

**CHRYSOSPLE-
NIUM**

alternifolium

CIMICIFUGA

fœtida
palmata

CINERARIA

hastata
sibirica

CIRCÆA

alpina

CISTUS

tuberaria

CLAYTONIA

alsinoides
virginica

CLEMATIS

alpina
crispa
cylindrica
integrifolia
ochroleuca
recta
viorna

CNICUS

cernuus
erysithalis
spinosissimus
tataricus

COCHLEARIA

danica
draba

COCHLEARIA

grænlandica—45

COLCHICUM

autumnale
alba
pleno
pallida
variegatum

COLLINSONIA

anisatum
canadensis

COMARUM

palustre

CONVALLARIA

bifolia
majalis
pleno
rubra
multiflora
polygonatum
pleno

racemosa

stellata

verticillata

CONVOLVULUS

lineatus
sepium americanus
terrestris

CONYZA

bifrons
pycnostachya

COREOPSIS

alternifolia
crassifolia
pinnata
procera
sonchifolia
tripteris
verticillata

CORNUS

canadensis
suecica

CORONILLA

coronata
minima
varia

CORTUSA

matthioli

COTYLEDON

lutea
umbilicus

CRAMBE

cordifolia

CREPIS

sibirica

CROCUS

nudiflorus
sativus
vernus

CUCUBALUS

otites
parviflorus
viscosus

CYCLAMEN

europæum
alba

CYNANCHUM

vincetoxicum

CYNOGLOSSUM

omphalodes
pictum

CYPRIPEDIUM

humile—130
spectabile

DAHLIA

frustranea
superflua
*varietat. nume-
rosiss.*

DALIBARDA

fragaroides
violæoides

DELPHINIUM

aconitifolium
azureum
chinense—71
elatum
grandiflorum
pleno

peregrinum
vernale
urceolatum

DIANTHUS

alpinus—67
arenarius
armerius
atrorubens
cæsius
campestris
caucaseus
collinus
deltoides
diminutus

DIANTHUS

ferrugineus
fruticosus
glauco
lyssopifolius
montanus
orientalis
patens
petraeus
plumarius
pungens
ruthenicus
squarrosus
superbus
virginicus

DICTAMNUS

albus
ruber

DIGITALIS

ferruginea
lævigata
lutea
minor

DIOSCOREA

verticillata

DIPHYLLEA

cymosa

DIPSACUS

pilosa

DODARTIA

orientalis

DODECATHEON

meadia

DORONICUM

altaicum
pardalianches
plantagineum

DORYCNium

herbaceum

DRABA

aizoides
incana
stellata—32

DRACOCEPHA-**LUM**

denticulatum
grandiflorum
nutans
peregrinum
ruyschiana
sibiricum
virginicum

DRYAS

octopetala

ECHINOPS

ritro
sphærocephala

ECHIUM

rubrum

EPIMEDIUM

alpinum

EPILOBIUM

alpinum
angustifolium
fl. alba
angustissimum
latifolium
fol. var.

EPIPACTIS

palustris

EQUISETUM

fluviatile
hyemale
variegatum

ERIGERON

alpinum
philadelphicum
purpureum
serpentarium
villarsii

ERINUS

alpinus
hispanicus

ERODIUM

chamædryoides
moschatum
multicaule

ERYNGIUM

alpinum
amethystinum
bourgati
giganteum
planum
werateum

ERYSIMUM

odorum

ERYTHRONIUM

americanum
dens canis
fl. alba

EUPATORIUM

aromaticum
cælestinum

EUPATORIUM

maculatum
perfoliatum
trifoliatum
urticaefolium

EUPHORBIA

amygdalina
cyparissias—118
palustris
rigida
serrata
virgata

FARSETIA

deltoides

FERULA

nodiflora

FESTUCA

glauca

FRAGRARIA

monophylla
speciosa
vesca *fol. var.*

FRANKENIA

lævis

FRASERA

waltheri

FRITTELARIA

imperialis
fol. var.
fl. lutea

latifolia

meleagris

persica

pyrenaica

racemosa

FUMARIA

alba
capnoides
cava
cucullaria
eximia
formosa
nobilis
solida

GAGEA

lutea

GALANTHUS

nivalis

GALARDIA

bicolor

GALAX
 cordifolia
GALEGA
 montana
 officinalis
GALEOPSIS
 galeobdolon
GALIUM
 caucasicum
 glaucum
 linifolium
 splendens
GENTIANA
 acaulis
 asclepiadea
major
 aurea
 cruciata
 hybrida
 incarnata
 lutea
 macrophylla
 ochroleuca
 pneumonanthe
 purpurea
 saponaria
 septemfida—89
 verna—62
GERANIUM
 aconitifolium
 altaicum
 angulosum
 argenteum
 columbinum
 dichotomum
 ibericum
 lancastriense
 lividum
 macrorrhizum
 maculatum
 nodosum
 palustre
 phæum
 philadelphicum
 pratense
fl. pleno
fl. alba
 sanguineum
 striatum
GERARDIA
 flava

GERARDIA
 heterophylla
GEUM
 canadense
 hybridum
 intermedium
 macrophyllum
 montanum
minor
 potentilloides
GLADIOLUS
 byzantinus
 communis
 segetum
GLAUX
 maritima
GLECHOMA
 hirsuta
GLOBULARIA
 cordifolia
 nudicaulis
GLYCINE
 apios
GLYCIRRHIZA
 glabra
GNAPHALIUM
 alpinum
 dioicum
 hyperboreum
fl. rubro
 margaritaceum
 olympicum
 plantagineum
 supinum
GOODYERA
 pubescens—1
GRAMMITIS
 ceterach—15
GRATIOLA
 officinalis
GYSOPHILA
 acutæfolia
 dubia
 glomerata
 latifolia
 paniculata
 prostrata
 reptans
 saxifraga
 stephani

HEDYSARUM
 alpinum
 canadense
 obscurum
 petræum
 saxatile
HELENIUM
 autumnale
HELIANTHUS
 altissimus
 atrorubens
 decapetalus
 divaricatus
 giganteus
 intermedius
 macrophyllus
 mollis
 multiflorus
 scaber
 strumosus
HELLEBORUS
 fœtidus
 hyemalis
 lividus
 niger
 trifolius
 viridis
HELONIAS
 asphodeloides
 bullata
 lutea
 muscotoxicum
 virginica
HEMEROCALLIS
 cœrulea
 disticha
 flava
 fulva
fol. var.
 graminea
 japonica
HERACLEUM
 sibiricum
HERNIARIA
 glabra
 hirsuta
HESPERIS
 hispida
 tristis
HEUCHERA
 americana

HEUCHERA

macrophylla
villosa

HIERACIUM

alpinum
aurantiacum
aureum
austriacum
maculatum
nigrescens
porrifolium
prenanthoides
villosum

HIPPOCREPIS

comosa

HUMULUS

americanus
lupulus

HYACINTHUS

botryoides

alba

comosus
monstrosus
muscari

minor

nonscriptus

orientalis

ramosus

HYDRASTIS

canadensis

HYDROPHYL-

LUM

canadense
virginicum

HYOSCYAMUS

physaloides
scopolia

HYPERICUM

barbatum
dubium
hirsutum
humifusum
montanum
perforatum
pulchrum
pyramdatum
quadrangulum
virginicum
undulatum

HYPOXIS

erecta

IBERIS

saxatilis
sempervirens

JEFFERSONIA

diphylla

IMPERATORIA

ostruthium

INULA

germanica
glandulosa
helenium
salicina
suaveolens
valantii

IRIS

acris
aphylla
biflora
caroliniana
cristata
cœlestina
dichotoma
flexuosa
florentina
fœtidissima

fol. var.

fulva
germanica
graminea
guldenstadtii
halophylla
hexagona
lurida
lusitanica
missouriensis
ochroleuca
pallida
pennsylvanica
prismatica
pseudacorus
pumila

alba

ruthenica
sambucina
sanguinea
sibirica
spathacea
spuria
squalens
susiana
tenuifolia
tuberosa

IRIS

variegata
ventricosa
versicolor
virginica
zyphioides
zyphium

JUNCUS

triglumis

KITAIBELLA

vitifolia

LACTUCA

perennis

LAMIUM

molle
orvale

LASERPITIUM

angustifolium
sibiricum

LATHYRUS

incurvus
latifolius
pisiformis
pratensis
sylvestris

LAVATERA

thuringiaca

LEONTICE

thalictroides

LEONTODON

aureum
hirtum

LEONURUS

cardiaca
tatarica

LEPIDIUM

latifolium

LEUCOIUM

æstivum
autumnale
trichophyllum
vernum

LIATRIS

pumila
spicata

LIGUSTICUM

peleponense
scoticum

LILIUM

bulbiferum
fol. var.
chalcedonicum

LILIUM

canadense
candidum
 fl. pleno
 fol. var.
kamtschaticum
martagon
 fl. alba
 fl. pleno
monadelphium
philadelphicum
pomponium
 luteum
superbum
tigrinum

LINARIA

alpina
asarina
cymbalaria
monspessulana
peloria
pilosa
purpurea
repens
silenefolia
vulgaris

LINUM

alpinum
narbonense
perenne
 fl. alba

LITHOSPERMUM

orientale
purpureo cœruleum

LITTORELLA

lacustris

LOBELIA

cardinalis
fulgens
siphilitica
splendens

LOTUS

cytisoides
depressus
diffusus
siliquosus

LUPINUS

nootkatensis
perennis

LYCHNIS

alpina

LYCHNIS

bractifera
calcedonica
 fl. alba
 fl. pleno
diurna pleno
hybrida
viscaria
 alba
 pleno

LYCOPUS

canadensis
pinnatifida

LYGEUM

spartum

LYSIMACHIA

ephemerum
nemorum
nummularia
punctata
quadriflora
quadrifolia

LYTHRUM

salicaria
verticillatum
virgatum

MALAXIS

lilifolia

MALVA

moschata

MARICA

californica

MARRUBIUM

hispanicum

MATRICARIA

argentea

MEDICAGO

glutinosa
karstiensis

MELISSA

alpina
athos
grandiflora
græca

MELITTIS

grandiflora
melissophyllum

MENYANTHIS

trifolia

MERCURIALIS

perennis

MIMULUS

luteus
ringens

MITELLA

caroliniana
cordifolia
diphylla
nuda

MÖERINGHIA

muscosa

MONARDA

ciliata
clinopodia
didyma

MYAGRUM

perenne

MYOSOTIS

scorpioides

NAPÆA

dioica
lævis

NARCISSUS

angustifolius
autumnalis
biflorus
bulbocodium
compressus
incomparabilis
jonquilla
lobulatus
major
minor
odorus
poeticus

pleno

propinguus
pseudo-narcissus
pulchellus
tazetta
tenuifolius
tenuior
tereticaulis
tortuosus
triandrus
viridis

NEPETA

longiflora
melissæfolia
mussini
pannonica

- NYMPHÆA
 alba
 odorata
 ŒNANTHE
 pinipinellifolia
 ŒNOTHERA
 fraseri
 fruticosa
 glaucā
 mollis
 pumila
 undulata
 ONOCLEA
 sensibilis
 struthiopteris
 ONONIS
 arvensis
 alba
 hircina
 natrix
 ONOSMA
 echioides
 taurica
 OPHIOPOGON
 japonicus
 OPHIRYS
 apifera
 ORCHIS
 maculata
 mascula
 morio
 pyramidalis
 spectabilis—78
 ORNITHOGA-
 LUM
 nutans
 pyramidale
 pyrenaicum
 stachyoides
 umbellatum
 ORNITHOPUS
 durus
 OROBUS
 albus
 angustifolius
 lathyroides
 luteus
 niger
 sylvaticus
 tuberosus
- OROBUS
 varius
 vernus
 versicolor
 ORONTIUM
 aquaticum
 japonicum
 OSMUNDA
 cinnamomea
 claytoniana
 regalis
 OXALIS
 sensitiva
 stricta
 violacea
 PACHYSANDRA
 prostrata
 PÆONIA
 albiflora
 pleno
 sibirica
 anomala
 arietina
 corallina
 fimbriata *pleno*
 fragrans
 humei
 mollis
 officinalis
 albicans pl.
 carnescens pl.
 rubra pl.
 fol. var.
 tenuifolia
 PANAX
 quinquefolia
 trifolia
 PANCRACTIUM
 illyricum
 maritimum
 PAPAVER
 cambricum
 nudicaulis
 orientalis
 PARIS
 quadrifolia
 PARNASSIA
 palustris
 PARTHENIUM
 integrifolium
- PENSTEMON
 campanulata
 pubescens
 PENTHORUM
 sedoides
 PEUCEDANUM
 altaicum
 tenuifolium
 PHACA
 alpina
 PHILOMIS
 alpina
 herbaventi
 tuberosa
 PHLOX
 acuminata
 amœna
 carolina
 divaricata
 glaberrima
 intermedia
 listoniana
 maculata
 orata
 paniculata
 fl. alba
 pyramidalis
 setacea
 stolonifera
 suaveolens
 fol. var.
 subulata
 suffruticosa
 virginica
 undulata
 PHYSALIS
 alkakengi
 PHYTEUMA
 campanuloides
 canescens
 cordata
 orbicularis—122
 scheuchzeri
 spicata
 PISUM
 maritimum
 PLANTAGO
 alpina
 altissima
 maxima

PLANTAGO

rosea
salsa
subulata
tenuifolia

PODOPHYLLUM

peltatum

POLEMONIUM

album
cœruleum
reptans

POLYGALA

vulgaris

POLYGONUM

amphibium
baikalensis
bistortum
coccineum
erectum
ocreatum
virginicum
viviparum

POLYPODIUM

æmulum
calcareum
cambricum
dryopteris
elatum
phegopteris
vulgare

POTENTILLA

alba
arguta
aurea—77
bifurca
clusiana
grandiflora
hirta
lupinoides
multifida
opacca
patens
pedata
pennsylvanica
pilosa
reptans
rupestris
ruthenica
tridentata
verna

POTENTILLA

vinosa
ucranica
weinmannii

POTHOS

fœtida

PRENANTHES

purpurea
sonchifolia

PRIMULA

auricula
cortusoides
dentata
farinosa
helvetica
integrifolia
longifolia
marginata
nivalis
veris

fl. pleno

villosa
vulgaris

alba

pleno

calycina

PRUNELLA

grandiflora
intermedia
laciniata
lutea
vulgaris *alba*

PTERIS

caudata
crispa

PULMONARIA

angustifolia
davurica
maritima
officinalis
paniculata
sibirica
virginica

PYROLA

minor
rotundifolia

RANUNCULUS

abortivus
aconitifolius pl.
alpestris

RANUNCULUS

amplexicaulis
auricomus
cassubicus
ficaria pleno
glacialis
gramineus
lingua
parnassifolius
pedatus
platanifolius

RESEDA

undata

RHEUM

compactum
palmatum
tataricum
undulatum

RHEXIA

virginica

RHODIOLA

rosea

RUBUS

arcticus
chamæmorus
saxatilis

RUDBECKIA

amplexicaule
digitata
hirta
laciniata
purpurea

SAGINA

procumbens *pleno*

SALVIA

argentea
austriaca
betonicæfolia
disermas
forskoehlîi
glutinosa
mollis
napifolia
sylvestris
tatarica
verticillata
viscosa

SAMBUCUS

ebulus

SAMOLUS

valerandi

SANGUINARIA
 canadensis
SANGUISORBA
 media
SANICULA
 europaea
SANSEVIERA
 carnea
SANTOLINA
 alpina
 eriosperma
SAPONARIA
 ocymoides
 officinalis pl.
 rubra
SARRACENIA
 purpurea
SAURURUS
 cerinus
SAXIFRAGA
 adscendens
 ajugifolia
 aizoides
 aizoon
 ambigua
 androsacea
 aspera
 caespitosa
 caroliniana
 ceratophylla
 cordifolia
 cotyledon
 crassifolia
 cuneifolia
 daurica
 densa
 dentata
 elongata
 elongella
 geranoides
 geum
 glacialis
 granulata
 A. pleno
 hieracifolia
 hirculus
 hirsuta
 hirta
 hybrida
 hypnoides
 laevigata

SAXIFRAGA
 laevis
 lingulata
 moschata
 muscoides
 oppositifolia
 palmata
 pedatifida
 pennsylvanica
 pilosa
 platypetala
 pygmaea
 quinquefida
 rosularis
 rotundifolia
 major
 rupestris
 serrata
 setacea
 sibirica
 spatulata
 sternbergii
 trifida
 verna
 villosa
 viscosa
 umbrosa
SCABIOSA
 agrestis
 alpina
 amœna
 carpatica
 caucasica
 centaurioides
 columbaria
 graminifolia
 gramuntia
 laevigata
 laxiflora
 lutea
 mollis
 montana
 scopolia
 succisa
 transylvanica
 ucranica
SCILLA
 amœna
 bifolia
 alba

SCILLA
 campanulata
 cernua
 esculenta
 italica
 peruviana
 alba
 romana
 sibirica
 verna
SCOLOPEN-
 DRIUM
 officinale
 ramosum
 undulatum
SCROPHULARIA
 orientalis
 peregrina
SCUTTELLARIA
 albida
 galericulata
 minor
 pelegrina
 rubicunda
SEDUM
 acre
 aizoon
 album
 anacamperos
 anglicum
 astratum
 dasyphyllum
 denticulatum
 forsterianum
 glaucum
 hybridum
 mongolicum
 monstruosum
 ochroleucum
 portulacoides
 populifolium
 quadrifidum
 quinquefidum
 reflexum
 rupestre
 sexangulare
 telephium
 major
 ternatum
 villosum

SEDUM
 virens
SELINUM
 gmelini
 petraeum
SEMPERVIVUM
 arachnoideum
 cuspidatum
 globiferum
 hirtum
 soboliferum
 tectorum
SENECIO
 abrotanifolia
 doria
 doronicum
SERRATULA
 alpina
 quinquefolia
SESELI
 cristata
 dichotoma
 montana
 pygmæa
SIBBALDIA
 procumbens
SIBTHORPIA
 europæa
SIDERITIS
 perfoliata
 scordioides
SILENE
 acaulis
 amœna
 alpestris
 chloræfolia
 fimbriata
 incarnata—41
 livida
 longiflora
 maritima
 nutans
 paniculata
 pusilla—90
 repens
 saponariæfolia
 saxatilis
 saxifraga
 supina
SILPHIUM
 perfoliatum
 squarrosum

SISYMBRIUM
 monense
SISYRINCHIUM
 anceps
 bermudianum
 striatum
SMILACINA
 borealis
 umbellata
SMILAX
 herbacea
SMYRNIUM
 oleastrum
SOLDANELLA
 alpina
SOLIDAGO
 ambigua
 arguta
 aspera
 bicolor
 cæsia
 canadensis
 elliptica
 gigantea
 hispida
 lævigata
 lanceolata
 mexicana
 minuta
 novaboracensis
 patula
 petiolaris
 procera
 reflexa
 scabra
 serotina
 virga aurea
 ulmifolia
SONCHUS
 caucaseus
 lapponicus
SOPHORA
 alopecuroides
SPIGELIA
 marilandica
SPIRÆA
 aiuncus
 filipendula
fl. pleno
 lobata
 trifoliata

SPIRÆA
 ulmaria
fl. pleno
fol. var.
STACHYS
 alpina
 arenaria
 caucasica
 lanata
 maritima
 scordifolia
STATICE
 cordata
 coriacea
 flexuosa
 latifolia
 limonium
 oleifolia
 scoparia
 tatarica
STELLERA
 scapigera
STIPA
 pennata
SWERTIA
 perennis
SYMPHITUM
 asperrium
 cœruleum
 coccineum
 patens
 tauricum
 tuberosum
TAGETES
 lucida
TELEPHIUM
 imperati
TEUCRIUM
 chamædrys
 multiflorum
 pyrenaicum
 scordium
 scorodonium
THALICTRUM
 alpinum
 aquilegifolium
fl. rubra
 contortum
 cornuti
 flavum
 globosum

- THALICTRUM**
 majus
 medium
 minus
 nigrum
 petaloidem
 purpurascens
 rugosum
 simplex
 speciosum
THERMOPSIS
 lanceolata
THYMUS
 marshalli
 pubescens
 serpyllum
fl. albo
TIARELLA
 cordifolia
TOFIELDIA
 americana
 palustris
TORMENTILLA
 officinalis
 repens
TRADESCANTIA
 subaspera
 virginica
alba
rubra
TRICHONEMA
 bulbocodium
TRIENTALIS
 europaeus—105
TRIFOLIUM
 alpestre
 canescens
 lupinaster
 montanum
 nigrum
 ochroleucum
 olympicum
 pannonicum
 rubens
 rupestre
TRILLIUM
 cernuum
 pudicum
 sessile
TRIOSTEUM
 perfoliatum
- TROLLIUS**
 americanus—56
 asiaticus
 europaeus
 hybridus
 intermedius
TROXIMUM
 glaucum
TULIPA
 clusiana
 gesneriana
 suaveolens
 sylvestris
TUSSILAGO
 anandria
 alpina
 farfara *fol. var.*
 fragrans
 hybrida
 lobata
 palmata
 paradoxa
VALERIANA
 angustifolia
 dioica
 montana
 officinalis
 pyrenaica
 rubra
 sibirica
 tripteris
VERATRUM
 nigrum
 viride
VERBASCUM
 caucasicum
 ferrugineum
 myconi
 phoeniceum
 pyramidatum
 speciosum
VERONICA
 allionii
 alpina
 arguta
 australis
 austriaca
 candida
 caucasica
 chamaedrys—53
 crenata
- VERONICA**
 crispa
 elatior
 foliosa
 fruticulosa
 gentianoides
 glabra
 hirsuta
 incana
 incarnata
 laciniata
 latifolia
 longifolia
 maritima
alba
fol. var.
 maxima
 media
 mollis
 montana
 multifida
 neglecta
 orchidea
 orientalis
 paniculata
 pannonica
 pectinata
 pinnata
 polymorpha
 prealta
 saxatilis
 scutellata
 serpyllifolia
 spicata
 spuria
nana
pendula
 villosa
 virginica
VESICARIA
 intricata
VICIA
 americana
 cracca
 dumetorum
 sepium
VIOLA
 altaica
 arenaria
 biflora
 canadensis

VIOLA

canina
cornuta
cucullata
grandiflora
hirta
lactea
lanceolata
littoralis
lutea
montana

VIOLA

odorata
fl. pleno
alba pl.
pallasii
palmata
palustris
pedata
primulæfolia
pygmæa
rothomagensis

VIOLA

sagittata
striata

UNIOLA

latifolia

UVULARIA

flava
grandiflora
sessilifolia

WALDSTEINIA

geoides

In an establishment of this nature there of course must exist an ardent and continual desire of extending, as well as diffusing the collection. Persons in Foreign Countries, who are animated by a similar passion, are respectfully invited to a Correspondence, which can hardly fail to become mutually advantageous. The full value is at all times ready to be given for fresh seeds or living plants, if new or rare, from whatever quarter of the globe they may have been brought.

March 1, 1818.

This day is published,

PART XI.

(WHICH COMMENCES VOL. II.)

OF THE

Botanical Cabinet,

TO BE CONTINUED MONTHLY,

*Foolscap 8vo. part Coloured, price 2s. 6d. ; Foolscap 4to,
wholly Coloured, 5s.*

EACH PART CONTAINING TEN FIGURES OF PLANTS,
DRAWN FROM NATURE,

AND

ENGRAVED BY GEORGE COOKE.

.....

Ten Parts will form One Volume.

A Short History will accompany each, with Directions for
Management, and other useful and interesting Remarks,

BY

CONRAD LODDIGES & SONS.

London :

PUBLISHED BY JOHN AND ARTHUR ARCH, CORNHILL ; JOHN
HATCHARD, PICCADILLY ; C. LODDIGES AND SONS,
HACKNEY ; AND G. COOKE, HACKNEY.

European Nursery Catalogues

A virtual collection project by:
Deutsche Gartenbaubibliothek e.V.

Paper version of this catalogue hold by:
Conservatoire et Jardin botaniques, Genève

Digital version sponsored by:
C. A. Wimmer